

Table 4B
2005 Pediatric Nutrition Surveillance ⁽¹⁾
North Carolina
Comparison of Racial and Ethnic Distribution by County
Children Aged < 5 Years ⁽²⁾

Comparison of Racial and Ethnic Distribution by County								
County	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaskan Native %	Asian/Pacific Islander %	Multiple Races %	All Other / Unknown %
Alamance	2,797	26.9	16.1	22.0	0.0	0.3	0.0	34.6
Alexander	944	51.2	4.1	10.3	0.0	2.3	0.0	32.1
Alleghany	338	52.7	0.6	16.3	0.0	0.0	0.0	30.5
Anson	943	17.6	39.1	1.7	0.7	0.4	0.0	40.4
Ashe	795	57.2	1.1	11.7	0.0	0.0	0.0	29.9
Avery	224	72.8	0.4	11.6	0.0	0.4	0.0	14.7
Beaufort	1,541	23.7	29.5	15.9	0.0	0.3	0.0	30.7
Bertie	711	10.0	61.5	2.8	0.0	0.1	0.0	25.6
Bladen	1,167	21.1	27.5	20.8	0.4	0.0	0.0	30.2
Brunswick	2,057	43.9	12.5	14.8	0.0	0.2	0.0	28.5
Buncombe	4,654	48.0	8.7	14.0	0.2	0.5	0.0	28.7
Burke	1,922	44.0	5.2	15.5	0.1	5.6	0.0	29.7
Cabarrus	602	3.3	8.3	59.1	0.0	0.0	0.0	29.2
Caldwell	2,067	50.4	8.1	11.6	0.0	0.2	0.0	29.7
Camden	220	55.9	16.4	1.4	0.0	0.5	0.0	25.9
Carteret	1,118	44.6	8.7	9.7	0.2	0.2	0.0	36.7
Caswell	591	37.6	33.7	3.6	0.0	0.0	0.0	25.2
Catawba	2,966	32.4	8.7	19.3	0.0	5.7	0.0	34.0
Chatham	1,592	13.3	8.0	39.1	0.0	0.1	0.0	39.6

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 4B
2005 Pediatric Nutrition Surveillance ⁽¹⁾
North Carolina
Comparison of Racial and Ethnic Distribution by County
Children Aged < 5 Years ⁽²⁾

Comparison of Racial and Ethnic Distribution by County								
County	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaskan Native %	Asian/Pacific Islander %	Multiple Races %	All Other / Unknown %
Cherokee	772	57.4	1.9	2.7	0.9	0.1	0.0	36.9
Chowan	502	20.5	44.4	3.0	0.0	0.0	0.0	32.1
Clay	295	70.2	1.0	3.1	0.0	0.0	0.0	25.8
Cleveland	831	47.2	26.8	4.9	0.0	0.8	0.0	20.2
Columbus	1,483	21.9	26.7	10.8	2.2	0.1	0.0	38.4
Craven	3,390	33.5	24.9	12.1	0.2	1.5	0.0	27.8
Cumberland	12,060	29.5	30.2	7.2	0.8	1.3	0.0	31.1
Currituck	468	66.5	8.5	3.2	0.0	0.0	0.0	21.8
Dare	545	40.2	3.5	21.8	0.0	0.0	0.0	34.5
Davidson	3,332	42.3	9.5	17.5	0.0	0.8	0.0	29.8
Davie	852	39.9	7.3	20.5	0.0	0.1	0.0	32.2
Duplin	1,492	20.5	15.7	42.4	0.0	0.3	0.0	21.1
Durham	6,043	8.7	47.0	31.3	0.1	2.0	0.0	10.9
Edgecombe	594	18.4	58.6	9.4	0.0	0.0	0.0	13.6
Forsyth	7,011	17.4	19.7	28.3	0.1	0.6	0.0	33.8
Franklin	1,405	25.8	30.7	25.7	0.1	0.9	0.0	16.7
Gaston	4,543	39.5	18.9	17.0	0.0	1.2	0.0	23.3
Gates	54	*	*	*	*	*	*	*
Graham	308	59.7	1.6	3.2	3.2	0.6	0.0	31.5

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 4B
2005 Pediatric Nutrition Surveillance ⁽¹⁾
North Carolina
Comparison of Racial and Ethnic Distribution by County
Children Aged < 5 Years ⁽²⁾

Comparison of Racial and Ethnic Distribution by County								
County	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaskan Native %	Asian/Pacific Islander %	Multiple Races %	All Other / Unknown %
Granville	1,307	25.1	29.0	16.9	0.0	0.3	0.0	28.7
Greene	952	13.0	32.1	30.6	0.1	0.0	0.0	24.2
Guilford	6,081	16.8	41.6	15.4	0.1	2.6	0.0	23.5
Halifax	2,101	12.0	45.4	2.6	3.8	0.3	0.0	36.0
Harnett	3,014	28.3	23.5	17.7	0.2	0.2	0.0	30.2
Haywood	1,083	52.1	1.3	6.6	0.2	0.3	0.0	39.6
Henderson	1,590	34.0	2.1	30.7	0.0	0.4	0.0	32.8
Hertford	809	10.4	51.9	1.2	0.0	0.4	0.0	36.1
Hoke	1,707	14.8	23.4	28.1	9.0	0.1	0.0	24.7
Hyde	181	26.5	23.8	14.9	0.0	0.0	0.0	34.8
Iredell	3,223	35.4	17.0	17.3	0.0	1.3	0.0	29.0
Jackson	743	55.9	1.5	6.5	1.5	0.5	0.0	34.2
Johnston	2,806	28.3	13.9	23.2	0.0	0.1	0.0	34.4
Jones	229	33.2	37.6	15.7	0.4	0.0	0.0	13.1
Lee	1,668	19.4	18.0	29.3	0.0	0.1	0.0	33.2
Lenoir	1,802	18.5	37.7	11.4	0.0	0.2	0.0	32.2
Lincoln	1,596	51.6	3.9	13.2	0.0	0.3	0.0	31.0
Macon	822	53.9	1.1	12.7	0.1	0.0	0.0	32.2
Madison	457	64.1	0.2	3.9	0.0	0.0	0.0	31.7

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 4B
2005 Pediatric Nutrition Surveillance ⁽¹⁾
North Carolina
Comparison of Racial and Ethnic Distribution by County
Children Aged < 5 Years ⁽²⁾

Comparison of Racial and Ethnic Distribution by County								
County	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaskan Native %	Asian/Pacific Islander %	Multiple Races %	All Other / Unknown %
Martin	759	18.6	50.2	7.0	0.1	0.3	0.0	23.8
Mcdowell	1,319	51.3	2.8	12.5	0.1	0.2	0.0	33.1
Mecklenbur	14,447	7.5	33.3	26.8	0.2	3.0	0.0	29.3
Mitchell	460	69.3	0.0	11.3	0.0	0.0	0.0	19.3
Montgomery	991	19.9	13.9	38.2	0.0	1.1	0.0	26.8
Moore	1,976	34.7	20.7	18.9	0.1	0.1	0.0	25.6
Nash	2,387	18.9	40.6	16.9	0.3	0.3	0.0	23.0
New Hanove	3,076	33.3	30.5	15.0	0.0	0.4	0.0	20.8
Northhampt	791	14.2	60.6	4.0	0.0	0.0	0.0	21.2
Onslow	7,279	43.8	14.8	9.9	0.2	0.9	0.0	30.3
Orange	2,263	14.8	13.1	34.8	0.0	0.6	0.0	36.6
Pamlico	342	39.5	17.5	9.4	0.0	0.6	0.0	33.0
Pasquotank	1,092	32.0	44.5	6.4	0.0	0.5	0.0	16.7
Pender	1,495	27.4	20.0	21.3	1.0	3.9	0.0	26.4
Perquimans	342	44.4	35.1	2.3	0.0	0.0	0.0	18.1
Person	960	32.2	30.6	9.5	0.1	0.0	0.0	27.6
Pitt	3,870	14.7	38.7	11.0	0.0	0.6	0.0	35.0
Polk	318	47.5	7.2	26.4	0.9	0.0	0.0	17.9
Randolph	3,557	38.1	4.9	23.7	0.0	0.1	0.0	33.1

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 4B
2005 Pediatric Nutrition Surveillance ⁽¹⁾
North Carolina
Comparison of Racial and Ethnic Distribution by County
Children Aged < 5 Years ⁽²⁾

Comparison of Racial and Ethnic Distribution by County								
County	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaskan Native %	Asian/Pacific Islander %	Multiple Races %	All Other / Unknown %
Richmond	2,018	34.0	30.3	11.0	0.5	0.5	0.0	23.7
Robeson	3,690	10.6	17.8	19.6	23.9	1.5	0.0	26.7
Rockingham	2,127	35.9	16.4	13.7	0.0	0.4	0.0	33.6
Rowan	3,139	35.4	16.5	16.8	0.0	0.5	0.0	30.8
Rutherford	934	50.6	18.8	13.9	0.0	0.1	0.0	16.5
Sampson	2,599	12.7	14.8	37.7	0.6	0.2	0.0	34.1
Scotland	1,505	16.8	36.2	1.9	8.5	0.2	0.0	36.3
Stanly	1,276	42.2	12.9	10.6	0.1	2.0	0.0	32.3
Stokes	920	61.5	4.2	6.3	0.0	0.0	0.0	27.9
Surry	1,917	35.7	2.9	21.0	0.0	0.3	0.0	40.0
Swain	358	54.2	1.7	2.2	4.2	0.8	0.0	36.9
Transylvan	487	49.7	5.7	9.2	0.2	1.4	0.0	33.7
Tyrrell	252	28.2	31.3	28.2	0.0	0.0	0.0	12.3
Union	3,084	21.1	13.7	29.7	0.0	0.1	0.0	35.4
Vance	1,623	11.6	42.1	13.2	0.1	0.2	0.0	32.9
Wake	13,679	9.2	24.4	29.5	0.0	3.2	0.0	33.7
Warren	768	13.3	50.3	7.3	1.4	0.1	0.0	27.6
Washington	600	14.2	66.7	6.0	0.0	0.0	0.0	13.2
Watauga	661	69.3	2.0	8.5	0.0	0.3	0.0	20.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 4B
2005 Pediatric Nutrition Surveillance ⁽¹⁾
North Carolina
Comparison of Racial and Ethnic Distribution by County
Children Aged < 5 Years ⁽²⁾

Comparison of Racial and Ethnic Distribution by County								
County	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaskan Native %	Asian/Pacific Islander %	Multiple Races %	All Other / Unknown %
Wayne Coun	3,538	23.7	28.9	20.1	0.2	0.3	0.0	26.8
Wilkes	1,712	43.8	3.2	11.2	0.1	0.3	0.0	41.5
Wilson Cou	2,675	12.4	33.5	23.6	0.0	0.7	0.0	29.7
Yadkin	1,034	35.1	2.6	36.1	0.0	0.1	0.0	26.1
Yancey	521	48.0	0.4	18.6	0.0	0.2	0.0	32.8
Unknown Counties	4,751	23.8	15.1	28.8	0.3	0.5	0.0	31.5
North Carolina	208,992	26.8	22.8	19.0	0.8	1.1	0.0	29.6
Nation (Prior Year)	6,948,667	35.6	20.3	37.1	1.2	2.9	0.1	2.9

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 5B
2005 Pediatric Nutrition Surveillance ⁽¹⁾
North Carolina
Comparison of Age Distribution by County
Children Aged < 5 Years ⁽²⁾

Comparison of Age Distribution by County				
County	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
Alamance	2,797	38.9	21.6	39.5
Alexander	944	30.6	23.6	45.8
Alleghany	338	31.7	19.2	49.1
Anson	943	29.7	21.2	49.1
Ashe	795	28.8	17.1	54.1
Avery	224	48.2	13.8	37.9
Beaufort	1,541	34.4	21.3	44.3
Bertie	711	27.8	18.6	53.6
Bladen	1,167	34.5	19.8	45.7
Brunswick	2,057	34.1	22.7	43.3
Buncombe	4,654	35.5	23.1	41.4
Burke	1,922	33.3	23.8	42.9
Cabarrus	602	26.2	24.4	49.3
Caldwell	2,067	34.3	23.1	42.6
Camden	220	26.8	26.8	46.4
Carteret	1,118	39.7	21.6	38.7
Caswell	591	29.6	23.5	46.9
Catawba	2,966	40.9	20.0	39.1

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 5B
2005 Pediatric Nutrition Surveillance ⁽¹⁾
North Carolina
Comparison of Age Distribution by County
Children Aged < 5 Years ⁽²⁾

Comparison of Age Distribution by County				
County	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
Chatham	1,592	35.1	22.1	42.8
Cherokee	772	33.2	20.2	46.6
Chowan	502	31.3	21.5	47.2
Clay	295	26.8	18.3	54.9
Cleveland	831	81.7	8.9	9.4
Columbus	1,483	29.3	19.6	51.1
Craven	3,390	39.3	20.7	40.1
Cumberland	12,060	34.7	22.3	43.0
Currituck	468	33.1	25.9	41.0
Dare	545	29.5	23.5	47.0
Davidson	3,332	36.6	21.6	41.8
Davie	852	30.8	20.8	48.5
Duplin	1,492	48.8	14.5	36.7
Durham	6,043	34.1	20.6	45.3
Edgecombe	594	81.8	9.6	8.6
Forsyth	7,011	34.8	22.6	42.6
Franklin	1,405	33.0	12.5	54.5
Gaston	4,543	43.6	21.4	35.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 5B
2005 Pediatric Nutrition Surveillance ⁽¹⁾
North Carolina
Comparison of Age Distribution by County
Children Aged < 5 Years ⁽²⁾

Comparison of Age Distribution by County				
County	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
Gates	54	*	*	*
Graham	308	30.5	14.0	55.5
Granville	1,307	29.4	22.6	48.0
Greene	952	28.2	21.7	50.1
Guilford	6,081	33.2	6.5	60.3
Halifax	2,101	28.0	25.1	46.8
Harnett	3,014	32.4	20.7	46.8
Haywood	1,083	31.7	23.9	44.4
Henderson	1,590	30.1	23.9	46.0
Hertford	809	27.8	26.8	45.4
Hoke	1,707	32.0	22.0	46.0
Hyde	181	23.2	23.2	53.6
Iredell	3,223	32.1	23.6	44.3
Jackson	743	33.0	18.2	48.9
Johnston	2,806	35.9	24.0	40.1
Jones	229	40.2	17.5	42.4
Lee	1,668	33.6	21.8	44.5
Lenoir	1,802	41.6	19.4	39.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 5B
2005 Pediatric Nutrition Surveillance ⁽¹⁾
North Carolina
Comparison of Age Distribution by County
Children Aged < 5 Years ⁽²⁾

Comparison of Age Distribution by County				
County	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
Lincoln	1,596	34.4	22.0	43.6
Macon	822	33.2	18.4	48.4
Madison	457	28.9	17.7	53.4
Martin	759	28.7	23.3	48.0
Mcdowell	1,319	30.8	22.3	46.9
Mecklenbur	14,447	36.2	23.7	40.1
Mitchell	460	28.9	19.8	51.3
Montgomery	991	32.2	18.9	48.9
Moore	1,976	28.8	24.1	47.1
Nash	2,387	34.6	25.3	40.1
New Hanove	3,076	39.6	23.1	37.3
Northhampt	791	28.4	20.6	50.9
Onslow	7,279	35.8	23.1	41.1
Orange	2,263	31.9	22.0	46.2
Pamlico	342	30.7	20.5	48.8
Pasquotank	1,092	33.2	22.6	44.2
Pender	1,495	29.8	19.9	50.3
Perquimans	342	34.5	23.1	42.4

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 5B
2005 Pediatric Nutrition Surveillance ⁽¹⁾
North Carolina
Comparison of Age Distribution by County
Children Aged < 5 Years ⁽²⁾

Comparison of Age Distribution by County				
County	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
Person	960	30.5	20.7	48.8
Pitt	3,870	31.7	23.9	44.4
Polk	318	29.9	18.9	51.3
Randolph	3,557	36.8	20.5	42.6
Richmond	2,018	29.7	21.4	48.9
Robeson	3,690	38.3	8.3	53.4
Rockingham	2,127	32.7	22.9	44.4
Rowan	3,139	32.5	23.4	44.1
Rutherford	934	31.7	19.7	48.6
Sampson	2,599	32.4	22.8	44.7
Scotland	1,505	25.0	25.0	50.0
Stanly	1,276	31.7	20.1	48.2
Stokes	920	27.3	25.2	47.5
Surry	1,917	36.8	22.2	40.9
Swain	358	26.3	23.5	50.3
Transylvan	487	36.6	15.6	47.8
Tyrrell	252	25.8	23.4	50.8
Union	3,084	33.0	20.8	46.2

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 5B
2005 Pediatric Nutrition Surveillance ⁽¹⁾
North Carolina
Comparison of Age Distribution by County
Children Aged < 5 Years ⁽²⁾

Comparison of Age Distribution by County				
County	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
Vance	1,623	30.4	22.9	46.6
Wake	13,679	34.5	22.9	42.6
Warren	768	26.0	22.3	51.7
Washington	600	24.3	22.5	53.2
Watauga	661	31.2	21.5	47.4
Wayne Coun	3,538	30.7	25.0	44.3
Wilkes	1,712	32.7	19.6	47.7
Wilson Cou	2,675	31.1	22.3	46.6
Yadkin	1,034	31.7	22.5	45.7
Yancey	521	25.1	24.0	50.9
Unknown Counties	4,751	30.4	24.5	45.1
North Carolina	208,992	34.3	21.4	44.2
Nation (Prior Year)	6,948,667	35.4	22.2	42.4

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 6B
2005 Pediatric Nutrition Surveillance ⁽¹⁾
North Carolina
Comparison of Growth and Anemia Indicators by County
Children Aged < 5 Years ⁽²⁾

Comparison of Growth and Anemia Indicators by County ^(3,4)												
County	Birthweight ⁽⁵⁾			Height and Weight						Anemia Low Hb/Hct ⁽⁸⁾		
	Low	High		Short Stature ⁽⁶⁾	Under-weight ⁽⁷⁾	Over-weight ⁽⁷⁾	≥ 2 Yrs Over-weight ⁽⁷⁾					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% >95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Alamance	803	11.1 (62)	7.7 (65)	2,603	6.2 (63)	8.2 (65)	17.4 (83)	1,077	18.4 (74)	17.9 (83)	1,956	29.9 (96)
Alexander	246	8.9 (24)	10.2 (83)	836	11.4 (97)	10.2 (77)	17.0 (79)	399	16.0 (39)	19.3 (87)	678	15.8 (73)
Alleghany	75	* *	* *	300	5.3 (44)	6.0 (26)	14.3 (33)	151	23.2 (94)	17.9 (83)	225	23.6 (90)
Anson	221	12.7 (75)	1.8 (1)	727	6.7 (75)	6.7 (35)	21.9(100)	423	13.2 (16)	16.5 (60)	666	16.5 (74)
Ashe	155	11.6 (71)	8.4 (71)	635	6.8 (79)	6.9 (40)	15.0 (50)	390	13.3 (17)	12.8 (20)	581	12.2 (63)
Avery	96	* *	* *	145	10.3 (96)	6.9 (40)	14.5 (36)	74	* *	* *	85	* *
Beaufort	386	10.9 (61)	6.2 (31)	1,242	6.0 (56)	5.2 (13)	17.1 (81)	645	16.1 (42)	17.8 (81)	1,153	10.5 (46)
Bertie	162	18.5 (85)	6.8 (46)	615	11.7 (98)	12.2 (87)	14.8 (43)	364	12.4 (11)	15.1 (46)	544	25.0 (94)
Bladen	297	9.4 (34)	5.1 (11)	1,109	4.2 (26)	11.2 (83)	14.6 (41)	519	16.8 (51)	12.9 (21)	737	4.7 (8)
Brunswick	566	10.2 (50)	7.4 (58)	1,806	7.2 (87)	7.2 (47)	14.9 (47)	853	16.2 (43)	16.6 (62)	1,357	3.5 (6)
Buncombe	1,309	10.0 (45)	8.9 (78)	3,534	6.3 (66)	5.3 (15)	16.6 (75)	1,806	17.4 (61)	15.3 (49)	3,223	10.7 (49)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this county's rate to other counties. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6B
2005 Pediatric Nutrition Surveillance ⁽¹⁾
North Carolina
Comparison of Growth and Anemia Indicators by County
Children Aged < 5 Years ⁽²⁾

Comparison of Growth and Anemia Indicators by County ^(3,4)												
County	Birthweight ⁽⁵⁾			Height and Weight						Anemia Low Hb/Hct ⁽⁸⁾		
	Low	High		Short Stature ⁽⁶⁾	Under- weight ⁽⁷⁾	Over- weight ⁽⁷⁾		≥ 2 Yrs Over- weight ⁽⁷⁾		Number % (Rank)		
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% >95th (Rank)	Number	% 85th- <95th (Rank)			% >95th (Rank)
Burke	528	9.1 (28)	7.2 (54)	1,703	5.6 (48)	8.7 (69)	14.2 (32)	803	18.6 (77)	15.2 (48)	1,389	12.0 (62)
Cabarrus	140	10.0 (45)	10.7 (85)	587	4.8 (36)	10.9 (82)	14.3 (33)	298	17.4 (61)	17.8 (81)	390	6.2 (25)
Caldwell	560	9.3 (32)	6.3 (32)	1,671	7.3 (88)	7.1 (45)	17.5 (85)	841	20.7 (88)	17.5 (77)	1,496	7.4 (30)
Camden	44	* *	* *	202	5.4 (45)	12.9 (91)	15.3 (59)	97	* *	* *	156	7.7 (32)
Carteret	341	8.8 (21)	8.5 (72)	961	3.4 (8)	12.3 (88)	13.0 (23)	387	16.0 (39)	16.8 (64)	770	9.9 (44)
Caswell	140	10.7 (58)	5.7 (17)	510	6.7 (75)	5.3 (15)	15.3 (59)	270	18.5 (76)	14.4 (40)	407	6.9 (29)
Catawba	825	9.5 (35)	9.1 (81)	1,322	5.6 (48)	17.1 (98)	9.8 (4)	481	17.3 (60)	17.7 (79)	1,945	6.7 (28)
Chatham	386	10.6 (56)	7.0 (51)	1,351	6.2 (63)	5.3 (15)	18.7 (91)	641	19.3 (84)	17.5 (77)	1,095	9.0 (40)
Cherokee	194	12.9 (77)	8.2 (68)	432	3.0 (4)	10.2 (77)	12.5 (16)	186	14.0 (21)	11.8 (16)	521	11.9 (61)
Chowan	118	15.3 (84)	5.9 (24)	481	3.3 (7)	7.3 (49)	15.8 (64)	232	17.2 (58)	17.2 (70)	378	18.0 (78)
Clay	54	* *	* *	234	5.6 (48)	7.7 (55)	15.0 (50)	144	21.5 (91)	20.1 (88)	214	5.6 (18)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this county's rate to other counties. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6B
2005 Pediatric Nutrition Surveillance ⁽¹⁾
North Carolina
Comparison of Growth and Anemia Indicators by County
Children Aged < 5 Years ⁽²⁾

Comparison of Growth and Anemia Indicators by County ^(3,4)												
County	Birthweight ⁽⁵⁾			Height and Weight						Anemia Low Hb/Hct ⁽⁸⁾		
	Low	High		Short Stature ⁽⁶⁾	Under- weight ⁽⁷⁾	Over- weight ⁽⁷⁾		≥ 2 Yrs Over- weight ⁽⁷⁾				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% >95th (Rank)	Number	% 85th- <95th (Rank)	% >95th (Rank)	Number	% (Rank)
Cleveland	661	9.1 (28)	7.3 (55)	775	3.4 (8)	12.8 (90)	15.4 (61)	75	* *	* *	143	4.9 (9)
Columbus	248	11.3 (64)	6.0 (27)	1,380	6.7 (75)	4.7 (7)	19.1 (93)	704	19.2 (82)	13.9 (28)	876	11.4 (56)
Craven	929	8.2 (12)	8.5 (72)	2,457	3.8 (18)	5.8 (23)	15.8 (64)	1,210	16.7 (48)	17.4 (72)	2,093	11.7 (58)
Cumberland	3,186	9.0 (25)	8.9 (78)	10,810	4.3 (28)	11.2 (83)	11.2 (11)	4,894	12.0 (8)	8.7 (4)	8,691	21.9 (88)
Currituck	121	8.3 (13)	8.3 (69)	453	5.7 (53)	6.6 (34)	14.3 (33)	189	16.9 (53)	11.6 (13)	323	8.7 (37)
Dare	105	11.4 (68)	8.6 (75)	422	5.0 (40)	2.6 (1)	16.4 (69)	230	20.9 (89)	13.9 (28)	384	8.6 (36)
Davidson	858	11.3 (64)	5.9 (24)	2,831	5.1 (43)	8.2 (65)	12.8 (19)	1,265	14.1 (22)	11.5 (12)	2,388	8.8 (38)
Davie	186	9.1 (28)	7.5 (60)	634	4.6 (31)	4.9 (11)	14.8 (43)	360	16.7 (48)	13.9 (28)	653	8.4 (35)
Duplin	625	10.4 (54)	4.8 (10)	1,037	6.6 (73)	15.0 (96)	14.0 (29)	336	12.8 (13)	18.8 (85)	238	23.9 (91)
Durham	1,436	9.6 (36)	6.3 (32)	3,864	5.6 (48)	7.2 (47)	15.9 (66)	2,049	12.2 (10)	14.3 (37)	363	11.8 (59)
Edgecombe	478	11.1 (62)	4.4 (7)	208	3.8 (18)	27.9(100)	10.6 (7)	24	* *	* *	76	* *

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this county's rate to other counties. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6B
2005 Pediatric Nutrition Surveillance (1)
North Carolina
Comparison of Growth and Anemia Indicators by County
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by County (3,4)												
County	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Over- weight (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% >95th (Rank)	Number	% 85th- <95th (Rank)	% >95th (Rank)	Number	% (Rank)
Forsyth	1,750	11.3 (64)	6.1 (29)	6,038	4.9 (38)	9.9 (76)	13.6 (28)	2,919	15.3 (32)	13.9 (28)	5,071	13.5 (66)
Franklin	333	7.2 (5)	7.5 (60)	1,234	4.6 (31)	5.8 (23)	15.6 (62)	691	16.4 (46)	15.5 (52)	751	5.6 (18)
Gaston	1,316	9.0 (25)	6.8 (46)	2,204	6.8 (79)	8.1 (64)	10.6 (7)	543	17.7 (67)	14.5 (42)	2,665	3.3 (4)
Gates	6	* *	* *	49	* *	* *	* *	34	* *	* *	36	* *
Graham	69	* *	* *	230	6.1 (60)	9.6 (74)	16.5 (71)	151	21.9 (92)	15.9 (55)	161	3.7 (7)
Granville	344	13.1 (79)	5.2 (12)	1,073	2.9 (3)	11.4 (85)	15.2 (56)	561	17.1 (55)	16.8 (64)	848	18.6 (82)
Greene	177	10.2 (50)	7.3 (55)	799	6.0 (56)	4.8 (8)	17.0 (79)	442	17.9 (68)	15.4 (51)	701	20.0 (85)
Guilford	1,824	11.6 (71)	6.3 (32)	4,447	4.4 (30)	7.5 (53)	12.6 (17)	3,220	15.0 (26)	13.6 (27)	3,127	4.9 (9)
Halifax	517	11.8 (73)	5.8 (20)	1,683	4.3 (28)	7.0 (42)	19.6 (95)	803	17.2 (58)	14.8 (44)	1,529	19.8 (84)
Harnett	720	7.9 (10)	5.8 (20)	2,554	6.8 (79)	4.8 (8)	16.1 (68)	1,316	15.7 (35)	11.3 (11)	2,126	11.6 (57)
Haywood	284	9.9 (43)	7.0 (51)	407	8.1 (89)	8.8 (71)	14.5 (36)	195	21.0 (90)	11.8 (16)	781	5.4 (16)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this county's rate to other counties. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6B
2005 Pediatric Nutrition Surveillance ⁽¹⁾
North Carolina
Comparison of Growth and Anemia Indicators by County
Children Aged < 5 Years ⁽²⁾

Comparison of Growth and Anemia Indicators by County ^(3,4)												
County	Birthweight ⁽⁵⁾			Height and Weight						Anemia Low Hb/Hct ⁽⁸⁾		
	Low	High		Short Stature ⁽⁶⁾	Under- weight ⁽⁷⁾	Over- weight ⁽⁷⁾		≥ 2 Yrs Over- weight ⁽⁷⁾				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% >95th (Rank)	Number	% 85th- <95th (Rank)	% >95th (Rank)	Number	% (Rank)
Henderson	376	6.1 (3)	8.5 (72)	995	6.4 (70)	8.4 (68)	14.8 (43)	447	16.6 (47)	16.8 (64)	976	18.9 (83)
Hertford	208	10.1 (48)	5.3 (13)	782	3.5 (11)	9.8 (75)	12.4 (15)	350	15.1 (27)	14.3 (37)	570	11.8 (59)
Hoke	442	8.8 (21)	6.3 (32)	1,623	8.6 (91)	7.3 (49)	20.7 (98)	749	15.1 (27)	17.1 (69)	973	30.2 (97)
Hyde	36	* *	* *	133	3.8 (18)	6.0 (26)	18.0 (89)	86	* *	* *	142	18.3 (80)
Iredell	854	9.8 (40)	6.8 (46)	3,130	4.8 (36)	7.0 (42)	15.0 (50)	1,403	14.3 (24)	14.0 (32)	2,320	2.5 (2)
Jackson	170	5.3 (1)	7.6 (62)	672	7.1 (86)	5.7 (20)	19.2 (94)	327	20.2 (87)	17.4 (72)	492	6.1 (22)
Johnston	759	7.4 (7)	6.6 (42)	1,901	6.0 (56)	6.8 (38)	14.9 (47)	860	16.3 (45)	17.4 (72)	1,781	11.1 (55)
Jones	82	* *	* *	149	3.4 (8)	6.0 (26)	12.8 (19)	80	* *	* *	64	* *
Lee	438	10.7 (58)	4.1 (6)	1,524	3.6 (12)	7.5 (53)	14.7 (42)	688	13.5 (18)	14.1 (33)	1,127	28.6 (95)
Lenoir	543	13.3 (82)	6.8 (46)	1,590	3.1 (5)	13.0 (92)	11.8 (12)	664	11.9 (7)	11.1 (10)	1,208	10.8 (50)
Lincoln	389	7.5 (8)	5.7 (17)	742	2.6 (1)	15.5 (97)	8.5 (1)	397	5.0 (1)	5.3 (1)	1,181	3.3 (4)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this county's rate to other counties. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6B
2005 Pediatric Nutrition Surveillance ⁽¹⁾
North Carolina
Comparison of Growth and Anemia Indicators by County
Children Aged < 5 Years ⁽²⁾

Comparison of Growth and Anemia Indicators by County ^(3,4)												
County	Birthweight ⁽⁵⁾			Height and Weight						Anemia Low Hb/Hct ⁽⁸⁾		
	Low	High		Short Stature ⁽⁶⁾	Under- weight ⁽⁷⁾	Over- weight ⁽⁷⁾		≥ 2 Yrs Over- weight ⁽⁷⁾		Number % (Rank)		
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% >95th (Rank)	Number	% 85th- <95th (Rank)			% >95th (Rank)
Macon	200	8.5 (15)	11.0 (86)	575	8.7 (93)	4.2 (5)	16.5 (71)	350	17.4 (61)	16.9 (67)	533	5.3 (14)
Madison	94	* *	* *	384	13.3(100)	6.3 (31)	21.6 (99)	227	17.6 (66)	21.6 (94)	334	15.3 (69)
Martin	183	13.7 (83)	2.7 (2)	696	4.0 (23)	8.0 (61)	14.5 (36)	341	15.2 (30)	12.9 (21)	517	15.3 (69)
Mcdowell	308	9.7 (38)	6.8 (46)	995	4.0 (23)	4.6 (6)	14.8 (43)	585	13.7 (19)	14.4 (40)	963	15.5 (71)
Mecklenbur	3,796	10.0 (45)	6.0 (27)	10,329	6.3 (66)	6.1 (29)	16.8 (77)	4,854	16.7 (48)	17.7 (79)	4,601	10.8 (50)
Mitchell	89	* *	* *	375	12.0 (99)	3.7 (2)	13.3 (26)	223	13.0 (14)	11.7 (14)	359	1.7 (1)
Montgomery	218	7.3 (6)	8.7 (77)	927	6.9 (85)	7.7 (55)	16.8 (77)	455	19.1 (81)	15.8 (54)	728	5.1 (12)
Moore	415	9.2 (31)	7.7 (65)	1,431	3.8 (18)	7.9 (60)	16.4 (69)	700	15.9 (37)	13.0 (23)	1,454	9.3 (41)
Nash	666	9.8 (40)	5.7 (17)	1,917	5.0 (40)	10.4 (79)	13.2 (25)	796	14.7 (25)	11.7 (14)	1,308	8.0 (34)
New Hanove	950	11.4 (68)	6.5 (40)	1,866	5.8 (54)	5.7 (20)	15.2 (56)	904	16.2 (43)	15.5 (52)	1,186	5.9 (21)
Northhampt	178	9.6 (36)	2.8 (3)	681	5.0 (40)	6.3 (31)	18.4 (90)	381	18.6 (77)	21.0 (93)	533	24.0 (92)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this county's rate to other counties. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6B
2005 Pediatric Nutrition Surveillance ⁽¹⁾
North Carolina
Comparison of Growth and Anemia Indicators by County
Children Aged < 5 Years ⁽²⁾

Comparison of Growth and Anemia Indicators by County ^(3,4)												
County	Birthweight ⁽⁵⁾			Height and Weight						Anemia Low Hb/Hct ⁽⁸⁾		
	Low	High		Short Stature ⁽⁶⁾	Under- weight ⁽⁷⁾	Over- weight ⁽⁷⁾	≥ 2 Yrs Over- weight ⁽⁷⁾					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% >95th (Rank)	Number	% 85th- <95th (Rank)	% >95th (Rank)	Number	% (Rank)
Onslow	1,944	8.7 (19)	7.6 (62)	5,738	3.7 (16)	9.0 (72)	9.0 (2)	2,430	15.2 (30)	7.9 (3)	4,605	5.0 (11)
Orange	500	7.8 (9)	9.0 (80)	2,146	6.4 (70)	7.0 (42)	17.2 (82)	1,002	19.2 (82)	20.1 (88)	1,624	14.5 (68)
Pamlico	69	* *	* *	319	6.6 (73)	7.8 (58)	15.0 (50)	163	19.6 (86)	15.3 (49)	211	5.7 (20)
Pasquotank	299	9.7 (38)	4.0 (5)	857	3.6 (12)	6.5 (33)	14.0 (29)	446	11.7 (6)	12.6 (19)	556	8.8 (38)
Pender	286	8.0 (11)	6.3 (32)	1,212	6.2 (63)	7.3 (49)	18.7 (91)	600	14.2 (23)	17.0 (68)	978	6.3 (26)
Perquimans	84	* *	* *	325	8.3 (90)	5.2 (13)	17.5 (85)	146	17.1 (55)	16.4 (56)	227	9.7 (43)
Person	231	12.6 (74)	7.8 (67)	866	3.7 (16)	7.4 (52)	15.0 (50)	423	18.0 (70)	13.0 (23)	711	6.3 (26)
Pitt	911	10.5 (55)	5.9 (24)	3,641	4.9 (38)	5.4 (18)	16.5 (71)	1,690	16.0 (39)	14.6 (43)	2,864	17.5 (76)
Polk	62	* *	* *	265	4.2 (26)	4.9 (11)	16.6 (75)	145	13.1 (15)	17.2 (70)	247	17.0 (75)
Randolph	833	9.0 (25)	9.5 (82)	3,017	5.4 (45)	6.7 (35)	17.6 (87)	1,419	17.5 (65)	20.5 (92)	2,654	5.3 (14)
Richmond	423	8.7 (19)	4.7 (9)	1,668	3.9 (22)	14.1 (94)	11.1 (10)	948	7.0 (2)	7.1 (2)	1,583	21.9 (88)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this county's rate to other counties. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6B
2005 Pediatric Nutrition Surveillance ⁽¹⁾
North Carolina
Comparison of Growth and Anemia Indicators by County
Children Aged < 5 Years ⁽²⁾

Comparison of Growth and Anemia Indicators by County ^(3,4)												
County	Birthweight ⁽⁵⁾			Height and Weight						Anemia Low Hb/Hct ⁽⁸⁾		
	Low	High		Short Stature ⁽⁶⁾	Under- weight ⁽⁷⁾	Over- weight ⁽⁷⁾	≥ 2 Yrs Over- weight ⁽⁷⁾					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% >95th (Rank)	Number	% 85th- <95th (Rank)	% >95th (Rank)	Number	% (Rank)
Robeson	1,160	9.8 (40)	6.5 (40)	2,724	5.9 (55)	8.2 (65)	15.6 (62)	1,859	15.3 (32)	15.1 (46)	2,160	5.5 (17)
Rockingham	540	11.5 (70)	6.1 (29)	2,040	2.6 (1)	13.0 (92)	10.8 (9)	928	9.1 (4)	9.9 (7)	1,574	7.4 (30)
Rowan	798	10.7 (58)	5.6 (15)	2,572	3.6 (12)	6.7 (35)	15.9 (66)	1,261	15.9 (37)	16.6 (62)	2,143	11.0 (53)
Rutherford	238	6.3 (4)	7.6 (62)	778	6.0 (56)	5.4 (18)	13.5 (27)	435	18.6 (77)	13.1 (25)	663	20.1 (86)
Sampson	642	8.6 (17)	8.6 (75)	2,118	9.1 (94)	7.7 (55)	19.6 (95)	1,076	17.1 (55)	20.2 (90)	1,850	17.5 (76)
Scotland	318	11.3 (64)	5.3 (13)	1,173	3.2 (6)	9.0 (72)	12.3 (13)	701	12.7 (12)	10.8 (9)	1,153	18.0 (78)
Stanly	343	9.3 (32)	5.8 (20)	974	4.7 (33)	8.0 (61)	12.9 (22)	598	13.7 (19)	12.4 (18)	876	24.4 (93)
Stokes	197	8.6 (17)	10.2 (83)	846	6.3 (66)	11.8 (86)	10.5 (6)	405	15.1 (27)	14.3 (37)	618	6.1 (22)
Surry	515	9.9 (43)	6.4 (37)	686	6.1 (60)	21.6 (99)	10.2 (5)	192	9.9 (5)	14.1 (33)	1,375	2.8 (3)
Swain	73	* *	* *	293	6.8 (79)	4.1 (4)	9.6 (3)	173	12.1 (9)	8.7 (4)	266	13.2 (65)
Transylvan	156	10.3 (53)	7.1 (53)	422	4.7 (33)	14.9 (95)	12.3 (13)	212	17.0 (54)	14.2 (36)	309	5.2 (13)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this county's rate to other counties. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6B
2005 Pediatric Nutrition Surveillance ⁽¹⁾
North Carolina
Comparison of Growth and Anemia Indicators by County
Children Aged < 5 Years ⁽²⁾

Comparison of Growth and Anemia Indicators by County ^(3,4)												
County	Birthweight ⁽⁵⁾			Height and Weight						Anemia Low Hb/Hct ⁽⁸⁾		
	Low	High		Short Stature ⁽⁶⁾	Under-weight ⁽⁷⁾	Over-weight ⁽⁷⁾	≥ 2 Yrs Over-weight ⁽⁷⁾					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% >95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Tyrrell	50	* *	* *	227	10.1 (95)	5.7 (20)	20.3 (97)	121	22.3 (93)	17.4 (72)	173	18.5 (81)
Union	834	8.4 (14)	7.4 (58)	2,437	6.8 (79)	4.8 (8)	14.9 (47)	1,311	18.0 (70)	14.8 (44)	2,138	9.3 (41)
Vance	456	13.2 (80)	6.4 (37)	1,404	6.1 (60)	7.8 (58)	14.5 (36)	716	16.8 (51)	13.1 (25)	1,042	15.5 (71)
Wake	3,656	8.5 (15)	6.7 (45)	13,395	6.4 (70)	6.8 (38)	14.5 (36)	5,762	17.4 (61)	16.4 (56)	8,329	7.9 (33)
Warren	140	19.3 (86)	6.4 (37)	725	3.6 (12)	8.0 (61)	12.8 (19)	379	15.3 (32)	9.2 (6)	590	10.3 (45)
Washington	108	13.0 (78)	5.6 (15)	496	6.3 (66)	10.7 (80)	12.7 (18)	311	7.7 (3)	10.0 (8)	451	21.3 (87)
Watauga	166	5.4 (2)	6.6 (42)	541	6.7 (75)	8.7 (69)	15.2 (56)	297	15.8 (36)	14.1 (33)	378	10.6 (48)
Wayne Coun	965	8.8 (21)	8.3 (69)	3,167	4.1 (25)	12.4 (89)	13.0 (23)	1,477	18.8 (80)	16.4 (56)	2,447	12.2 (63)
Wilkes	448	12.7 (75)	5.8 (20)	1,276	5.6 (48)	7.1 (45)	16.5 (71)	764	18.2 (72)	18.8 (85)	1,116	6.1 (22)
Wilson Cou	570	10.2 (50)	4.4 (7)	2,501	5.5 (47)	5.9 (25)	17.4 (83)	1,187	18.4 (74)	17.4 (72)	2,063	10.5 (46)
Yadkin	247	10.1 (48)	7.3 (55)	789	6.8 (79)	6.1 (29)	17.9 (88)	393	18.3 (73)	20.4 (91)	696	13.5 (66)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this county's rate to other counties. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6B
2005 Pediatric Nutrition Surveillance ⁽¹⁾
North Carolina
Comparison of Growth and Anemia Indicators by County
Children Aged < 5 Years ⁽²⁾

Comparison of Growth and Anemia Indicators by County ^(3,4)												
County	Birthweight ⁽⁵⁾			Height and Weight						Anemia Low Hb/Hct ⁽⁸⁾		
	Low	High		Short Stature ⁽⁶⁾	Under- weight ⁽⁷⁾	Over- weight ⁽⁷⁾	≥ 2 Yrs Over- weight ⁽⁷⁾					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% >95th (Rank)	Number	% 85th- <95th (Rank)	% >95th (Rank)	Number	% (Rank)
Yancey	106	13.2 (80)	3.8 (4)	428	8.6 (91)	3.7 (2)	15.0 (50)	256	19.5 (85)	16.4 (56)	390	11.0 (53)
Unknown Counties	1,232	10.6 (56)	6.6 (42)	4,466	4.7 (33)	10.7 (80)	14.1 (31)	2,064	17.9 (68)	16.5 (60)	2,706	10.8 (50)
North Carolina	54,813	9.8	6.8	168,544	5.5	8.1	14.7	81,449	15.8	14.7	129,106	11.6
Nation (Prior Year)	1,633,363	9.3	6.8	6,600,078	6.4	4.7	14.1	2,822,660	16.1	14.8	4,020,684	13.7

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this county's rate to other counties. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 7B
2005 Pediatric Nutrition Surveillance (1)
North Carolina

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County
(4,5)

County	Breastfeeding (5)			Exclusive Breastfeeding (6)			≤2 Hours TV Viewing/Day (7)		Smoking in Household	
	Number	% Ever Breastfed (Rank)	Number Breastfed At Least 6 Months (Rank)	Number Breastfed At Least 12 Months (Rank)	Number Breastfed At Least 3 Months (Rank)	Number Breastfed At Least 6 Months (Rank)	Number	% (Rank)	Number	% (Rank)
Alamance	804	47.3 (49)	283 24.4 (10)	358 14.8 (23)	0 * *	0 * *	0	* *	0	* *
Alexander	246	40.7 (66)	72 * *	150 18.7 (12)	0 * *	0 * *	0	* *	0	* *
Alleghany	75	* *	34 * *	48 * *	0 * *	0 * *	0	* *	0	* *
Anson	221	29.0 (78)	78 * *	123 4.9 (61)	0 * *	0 * *	0	* *	0	* *
Ashe	155	56.1 (26)	62 * *	88 * *	0 * *	0 * *	0	* *	0	* *
Avery	96	* *	8 * *	8 * *	0 * *	0 * *	0	* *	0	* *
Beaufort	386	47.4 (48)	182 14.8 (31)	212 9.4 (44)	0 * *	0 * *	0	* *	0	* *
Bertie	162	14.8 (83)	26 * *	61 * *	0 * *	0 * *	0	* *	0	* *
Bladen	298	51.0 (39)	95 * *	143 25.9 (5)	0 * *	0 * *	0	* *	0	* *
Brunswick	568	48.2 (46)	168 17.9 (22)	290 16.9 (14)	0 * *	0 * *	0	* *	0	* *
Buncombe	1,317	75.5 (6)	462 25.8 (8)	721 16.8 (15)	0 * *	0 * *	0	* *	0	* *
Burke	528	56.4 (23)	193 11.4 (40)	311 6.8 (56)	0 * *	0 * *	0	* *	0	* *
Cabarrus	143	74.8 (7)	62 * *	107 25.2 (7)	0 * *	0 * *	0	* *	0	* *
Caldwell	562	54.6 (28)	205 14.6 (32)	321 8.7 (49)	0 * *	0 * *	0	* *	0	* *

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.



Table 7B
2005 Pediatric Nutrition Surveillance (1)
North Carolina

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County
(4,5)

County	Breastfeeding (5)			Exclusive Breastfeeding (6)			≤2 Hours TV Viewing/Day (7)		Smoking in Household	
	Number (Rank)	% Ever Breastfed (Rank)	Number Breastfed At Least 6 Months (Rank)	Number Breastfed At Least 12 Months (Rank)	Number Breastfed At Least 3 Months (Rank)	Number Breastfed At Least 6 Months (Rank)	Number (Rank)	% (Rank)	Number (Rank)	% (Rank)
Camden	44	* *	28	* *	31	* *	0	* *	0	* *
Carteret	341	46.9 (50)	110	10.0 (44)	156	7.1 (55)	0	* *	0	* *
Caswell	140	45.0 (54)	53	* *	93	* *	0	* *	0	* *
Catawba	826	56.4 (23)	371	13.7 (36)	350	12.6 (31)	0	* *	0	* *
Chatham	388	72.9 (10)	211	35.5 (2)	253	25.3 (6)	0	* *	0	* *
Cherokee	194	48.5 (45)	66	* *	100	10.0 (41)	0	* *	0	* *
Chowan	118	23.7 (80)	51	* *	72	* *	0	* *	0	* *
Clay	54	* *	25	* *	37	* *	0	* *	0	* *
Cleveland	665	16.5 (82)	39	* *	57	* *	0	* *	0	* *
Columbus	283	41.3 (64)	155	11.0 (41)	177	8.5 (50)	0	* *	0	* *
Craven	931	53.5 (31)	376	19.4 (18)	459	15.5 (19)	0	* *	0	* *
Cumberland	3,212	59.5 (20)	1,279	10.7 (43)	1,653	9.0 (47)	0	* *	0	* *
Currituck	124	63.7 (14)	44	* *	82	* *	0	* *	0	* *
Dare	105	97.1 (1)	68	* *	85	* *	0	* *	0	* *

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.



Table 7B
2005 Pediatric Nutrition Surveillance (1)
North Carolina

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County
(4,5)

County	Breastfeeding (5)			Exclusive Breastfeeding (6)			≤2 Hours TV Viewing/Day (7)		Smoking in Household	
	Number (Rank)	% Ever Breastfed (Rank)	Number % Breastfed At Least 6 Months (Rank)	Number % Breastfed At Least 12 Months (Rank)	Number % Breastfed At Least 3 Months (Rank)	Number % Breastfed At Least 6 Months (Rank)	Number (Rank)	% (Rank)	Number (Rank)	% (Rank)
Davidson	868	51.4 (36)	352 19.9 (15)	442 15.8 (18)	0 * *	0 * *	0 * *	0 * *	0 * *	0 * *
Davie	186	57.5 (22)	92 * *	115 20.0 (9)	0 * *	0 * *	0 * *	0 * *	0 * *	0 * *
Duplin	626	56.2 (25)	56 * *	78 * *	0 * *	0 * *	0 * *	0 * *	0 * *	0 * *
Durham	1,444	51.2 (38)	674 24.3 (11)	804 19.2 (11)	0 * *	0 * *	0 * *	0 * *	0 * *	0 * *
Edgecombe	478	22.8 (81)	15 * *	31 * *	0 * *	0 * *	0 * *	0 * *	0 * *	0 * *
Forsyth	1,794	69.3 (13)	697 34.6 (3)	945 28.8 (2)	0 * *	0 * *	0 * *	0 * *	0 * *	0 * *
Franklin	332	43.4 (59)	22 * *	40 * *	0 * *	0 * *	0 * *	0 * *	0 * *	0 * *
Gaston	1,318	44.6 (56)	388 14.2 (33)	602 8.3 (51)	0 * *	0 * *	0 * *	0 * *	0 * *	0 * *
Gates	6	* *	2 * *	2 * *	0 * *	0 * *	0 * *	0 * *	0 * *	0 * *
Graham	69	* *	20 * *	27 * *	0 * *	0 * *	0 * *	0 * *	0 * *	0 * *
Granville	349	31.2 (77)	82 * *	179 7.3 (54)	0 * *	0 * *	0 * *	0 * *	0 * *	0 * *
Greene	178	35.4 (72)	88 * *	122 10.7 (39)	0 * *	0 * *	0 * *	0 * *	0 * *	0 * *
Guilford	1,829	61.8 (16)	150 24.7 (9)	229 14.0 (25)	0 * *	0 * *	0 * *	0 * *	0 * *	0 * *
Halifax	518	32.6 (75)	179 7.8 (46)	355 2.8 (65)	0 * *	0 * *	0 * *	0 * *	0 * *	0 * *

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.



Table 7B
2005 Pediatric Nutrition Surveillance (1)
North Carolina

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County
(4,5)

County	Breastfeeding (5)			Exclusive Breastfeeding (6)			≤2 Hours TV Viewing/Day (7)		Smoking in Household	
	Number (Rank)	% Ever Breastfed (Rank)	Number % Breastfed At Least 6 Months (Rank)	Number % Breastfed At Least 12 Months (Rank)	Number % Breastfed At Least 3 Months (Rank)	Number % Breastfed At Least 6 Months (Rank)	Number (Rank)	% (Rank)	Number (Rank)	% (Rank)
Harnett	722	36.4 (71)	270 17.4 (23)	376 9.3 (45)	0 * *	0 * *	0 * *	0 * *	0 * *	0 * *
Haywood	285	32.3 (76)	113 11.5 (38)	168 10.7 (39)	0 * *	0 * *	0 * *	0 * *	0 * *	0 * *
Henderson	379	76.8 (5)	139 27.3 (7)	235 27.7 (4)	0 * *	0 * *	0 * *	0 * *	0 * *	0 * *
Hertford	209	43.1 (61)	81 * *	165 5.5 (60)	0 * *	0 * *	0 * *	0 * *	0 * *	0 * *
Hoke	443	52.1 (34)	96 * *	198 11.6 (34)	0 * *	0 * *	0 * *	0 * *	0 * *	0 * *
Hyde	36	* *	17 * *	25 * *	0 * *	0 * *	0 * *	0 * *	0 * *	0 * *
Iredell	855	54.6 (28)	322 16.5 (25)	529 10.0 (41)	0 * *	0 * *	0 * *	0 * *	0 * *	0 * *
Jackson	172	62.8 (15)	63 * *	73 * *	0 * *	0 * *	0 * *	0 * *	0 * *	0 * *
Johnston	785	38.0 (69)	258 15.5 (29)	436 11.7 (33)	0 * *	0 * *	0 * *	0 * *	0 * *	0 * *
Jones	82	* *	0 * *	3 * *	0 * *	0 * *	0 * *	0 * *	0 * *	0 * *
Lee	440	50.5 (40)	172 18.0 (21)	254 15.0 (22)	0 * *	0 * *	0 * *	0 * *	0 * *	0 * *
Lenoir	543	34.8 (74)	180 11.7 (37)	230 3.9 (62)	0 * *	0 * *	0 * *	0 * *	0 * *	0 * *
Lincoln	389	53.0 (33)	154 16.2 (27)	207 11.6 (34)	0 * *	0 * *	0 * *	0 * *	0 * *	0 * *
Macon	201	74.1 (8)	71 * *	99 * *	0 * *	0 * *	0 * *	0 * *	0 * *	0 * *

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.



Table 7B
2005 Pediatric Nutrition Surveillance (1)
North Carolina

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County
(4,5)

County	Breastfeeding (5)			Exclusive Breastfeeding (6)			≤2 Hours TV Viewing/Day (7)		Smoking in Household	
	Number	% Ever Breastfed (Rank)	Number Breastfed At Least 6 Months (Rank)	Number Breastfed At Least 12 Months (Rank)	Number Breastfed At Least 3 Months (Rank)	Number Breastfed At Least 6 Months (Rank)	Number	% (Rank)	Number	% (Rank)
Madison	95	* *	20 * *	38 * *	0 * *	0 * *	0	* *	0	* *
Martin	183	37.2 (70)	71 * *	112 6.3 (57)	0 * *	0 * *	0	* *	0	* *
Mcdowell	310	50.0 (42)	143 29.4 (5)	174 13.2 (28)	0 * *	0 * *	0	* *	0	* *
Mecklenbur	3,874	50.1 (41)	1,634 22.2 (13)	2,210 19.9 (10)	0 * *	0 * *	0	* *	0	* *
Mitchell	89	* *	39 * *	46 * *	0 * *	0 * *	0	* *	0	* *
Montgomery	218	53.2 (32)	74 * *	96 * *	0 * *	0 * *	0	* *	0	* *
Moore	417	45.6 (53)	188 16.0 (28)	283 12.4 (32)	0 * *	0 * *	0	* *	0	* *
Nash	666	40.1 (67)	213 10.8 (42)	406 8.1 (52)	0 * *	0 * *	0	* *	0	* *
New Hanove	956	50.0 (42)	368 23.9 (12)	466 14.2 (24)	0 * *	0 * *	0	* *	0	* *
Northhampt	179	14.5 (84)	53 * *	90 * *	0 * *	0 * *	0	* *	0	* *
Onslow	1,946	60.0 (18)	735 16.5 (25)	1,071 10.8 (38)	0 * *	0 * *	0	* *	0	* *
Orange	503	54.5 (30)	250 37.6 (1)	336 22.6 (8)	0 * *	0 * *	0	* *	0	* *
Pamlico	69	* *	31 * *	51 * *	0 * *	0 * *	0	* *	0	* *
Pasquotank	299	12.0 (85)	118 2.5 (49)	152 2.0 (66)	0 * *	0 * *	0	* *	0	* *

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.



Table 7B
2005 Pediatric Nutrition Surveillance (1)
North Carolina

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County
(4,5)

County	Breastfeeding (5)			Exclusive Breastfeeding (6)			≤2 Hours TV Viewing/Day (7)		Smoking in Household	
	Number (Rank)	% Ever Breastfed (Rank)	Number % Breastfed At Least 6 Months (Rank)	Number % Breastfed At Least 12 Months (Rank)	Number % Breastfed At Least 3 Months (Rank)	Number % Breastfed At Least 6 Months (Rank)	Number (Rank)	% (Rank)	Number (Rank)	% (Rank)
Pender	286	49.0 (44)	161 9.3 (45)	176 5.7 (58)	0 * *	0 * *	0 * *	0 * *	0 * *	0 * *
Perquimans	84	* *	41 * *	43 * *	0 * *	0 * *	0 * *	0 * *	0 * *	0 * *
Person	232	40.9 (65)	62 * *	114 8.8 (48)	0 * *	0 * *	0 * *	0 * *	0 * *	0 * *
Pitt	915	51.5 (35)	412 16.7 (24)	574 12.9 (30)	0 * *	0 * *	0 * *	0 * *	0 * *	0 * *
Polk	62	* *	17 * *	20 * *	0 * *	0 * *	0 * *	0 * *	0 * *	0 * *
Randolph	854	61.8 (16)	420 21.2 (14)	452 13.5 (26)	0 * *	0 * *	0 * *	0 * *	0 * *	0 * *
Richmond	423	43.3 (60)	209 6.7 (47)	268 5.6 (59)	0 * *	0 * *	0 * *	0 * *	0 * *	0 * *
Robeson	1,160	35.2 (73)	72 * *	107 13.1 (29)	0 * *	0 * *	0 * *	0 * *	0 * *	0 * *
Rockingham	543	45.7 (52)	227 19.8 (17)	320 13.4 (27)	0 * *	0 * *	0 * *	0 * *	0 * *	0 * *
Rowan	800	56.0 (27)	328 14.0 (34)	484 9.5 (43)	0 * *	0 * *	0 * *	0 * *	0 * *	0 * *
Rutherford	239	44.8 (55)	20 * *	53 * *	0 * *	0 * *	0 * *	0 * *	0 * *	0 * *
Sampson	650	38.3 (68)	271 19.9 (15)	382 17.8 (13)	0 * *	0 * *	0 * *	0 * *	0 * *	0 * *
Scotland	318	44.3 (57)	143 4.2 (48)	244 3.3 (64)	0 * *	0 * *	0 * *	0 * *	0 * *	0 * *
Stanly	343	73.2 (9)	84 * *	140 9.3 (45)	0 * *	0 * *	0 * *	0 * *	0 * *	0 * *

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.



Table 7B
2005 Pediatric Nutrition Surveillance (1)
North Carolina

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County
(4,5)

County	Breastfeeding (5)			Exclusive Breastfeeding (6)			≤2 Hours TV Viewing/Day (7)		Smoking in Household	
	Number (Rank)	% Ever Breastfed (Rank)	Number % Breastfed At Least 6 Months (Rank)	Number % Breastfed At Least 12 Months (Rank)	Number % Breastfed At Least 3 Months (Rank)	Number % Breastfed At Least 6 Months (Rank)	Number (Rank)	% (Rank)	Number (Rank)	% (Rank)
Stokes	203	42.4 (63)	92 * *	161 7.5 (53)	0 * *	0 * *	0 * *	* *	0 * *	* *
Surry	516	58.7 (21)	212 18.4 (19)	270 15.2 (21)	0 * *	0 * *	0 * *	* *	0 * *	* *
Swain	74	* *	28 * *	48 * *	0 * *	0 * *	0 * *	* *	0 * *	* *
Transylvan	158	96.2 (2)	18 * *	29 * *	0 * *	0 * *	0 * *	* *	0 * *	* *
Tyrrell	50	* *	16 * *	34 * *	0 * *	0 * *	0 * *	* *	0 * *	* *
Union	851	71.8 (12)	185 18.4 (19)	388 16.5 (16)	0 * *	0 * *	0 * *	* *	0 * *	* *
Vance	463	44.3 (57)	117 34.2 (4)	236 47.9 (1)	0 * *	0 * *	0 * *	* *	0 * *	* *
Wake	3,690	77.1 (4)	1,557 28.6 (6)	2,182 28.2 (3)	0 * *	0 * *	0 * *	* *	0 * *	* *
Warren	140	26.4 (79)	52 * *	91 * *	0 * *	0 * *	0 * *	* *	0 * *	* *
Washington	109	43.1 (61)	49 * *	105 3.8 (63)	0 * *	0 * *	0 * *	* *	0 * *	* *
Watauga	166	59.6 (19)	29 * *	71 * *	0 * *	0 * *	0 * *	* *	0 * *	* *
Wayne Coun	966	51.4 (36)	285 14.0 (34)	576 11.5 (36)	0 * *	0 * *	0 * *	* *	0 * *	* *
Wilkes	448	47.8 (47)	157 11.5 (38)	212 11.3 (37)	0 * *	0 * *	0 * *	* *	0 * *	* *
Wilson Cou	578	45.8 (51)	300 15.0 (30)	431 16.0 (17)	0 * *	0 * *	0 * *	* *	0 * *	* *

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.



Table 7B
2005 Pediatric Nutrition Surveillance (1)
North Carolina

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County
(4,5)

County	Breastfeeding (5)		Exclusive Breastfeeding (6)		≤2 Hours TV Viewing/Day (7)		Smoking in Household							
	Number (Rank)	% Ever Breastfed (Rank)	Number (Rank)	% Breastfed At Least 6 Months (Rank)	Number (Rank)	% Breastfed At Least 12 Months (Rank)	Number (Rank)	% (Rank)						
Yadkin	248	72.2 (11)	95	* *	177	15.3 (20)	0	* *	0	* *				
Yancey	107	94.4 (3)	64	* *	84	* *	0	* *	0	* *				
North Carolina	55,236	53.6	19,700	19.6	28,312	15.3	0	*	0	*				
Nation (Prior Year)	1,469,572	56.1	718,598	23.4	792,792	17.6	37,398	9.8	39,388	6.7	64,128	40.5	389,446	20.1

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.



Table 6B
2003 - 2005 Pediatric Nutrition Surveillance ⁽¹⁾
North Carolina
Comparison of Growth and Anemia Indicators by County
Children Aged < 5 Years ⁽²⁾

Comparison of Growth and Anemia Indicators by County ^(3,4)												
County	Birthweight ⁽⁵⁾			Height and Weight						Anemia Low Hb/Hct ⁽⁸⁾		
	Low	High		Short Stature ⁽⁶⁾	Under- weight ⁽⁷⁾	Over- weight ⁽⁷⁾		≥ 2 Yrs Over- weight ⁽⁷⁾			Number % (Rank)	
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% >95th (Rank)	Number	% 85th- <95th (Rank)	% >95th (Rank)		
Alamance	2,337	9.5 (38)	8.6 (89)	7,616	6.5 (71)	7.7 (53)	18.1 (89)	2,929	18.3 (87)	17.3 (77)	5,572	29.9 (100)
Alexander	728	9.2 (29)	8.4 (82)	2,018	16.0 (101)	8.5 (68)	18.9 (96)	1,074	16.7 (60)	20.9 (99)	1,935	16.5 (79)
Alleghany	215	11.2 (78)	4.7 (6)	886	6.4 (69)	5.8 (15)	16.7 (74)	469	19.4 (99)	20.5 (98)	714	13.9 (71)
Anson	737	11.0 (72)	3.9 (3)	2,184	6.3 (67)	7.8 (56)	19.4 (97)	1,243	11.6 (6)	14.1 (34)	2,050	13.2 (67)
Ashe	535	9.5 (38)	6.2 (28)	1,991	6.2 (66)	6.7 (27)	15.9 (63)	1,170	12.2 (9)	13.9 (30)	1,792	11.3 (57)
Avery	295	9.5 (38)	7.1 (58)	477	10.3 (99)	6.7 (27)	15.9 (63)	285	13.0 (14)	16.8 (68)	323	3.7 (6)
Beaufort	1,126	10.3 (63)	6.1 (24)	3,678	5.4 (48)	6.1 (19)	15.9 (63)	1,861	16.4 (54)	16.8 (68)	3,377	12.0 (61)
Bertie	482	14.9 (100)	4.4 (5)	1,974	9.7 (96)	8.1 (62)	17.4 (82)	1,119	13.5 (18)	17.3 (77)	1,827	27.3 (98)
Bladen	934	10.8 (71)	6.1 (24)	3,280	3.8 (8)	11.2 (84)	13.7 (28)	1,442	15.7 (39)	13.0 (21)	2,191	6.0 (18)
Brunswick	1,741	9.5 (38)	7.4 (63)	5,387	6.9 (85)	7.4 (45)	14.3 (40)	2,523	16.8 (63)	15.3 (52)	4,068	4.5 (7)
Buncombe	3,843	9.9 (57)	8.4 (82)	10,602	6.1 (65)	5.0 (6)	16.4 (69)	5,377	17.3 (71)	15.9 (61)	9,780	11.3 (57)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this county's rate to other counties. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6B
2003 - 2005 Pediatric Nutrition Surveillance ⁽¹⁾
North Carolina
Comparison of Growth and Anemia Indicators by County
Children Aged < 5 Years ⁽²⁾

Comparison of Growth and Anemia Indicators by County ^(3,4)												
County	Birthweight ⁽⁵⁾			Height and Weight						Anemia Low Hb/Hct ⁽⁸⁾		
	Low	High		Short Stature ⁽⁶⁾	Under- weight ⁽⁷⁾	Over- weight ⁽⁷⁾		≥ 2 Yrs Over- weight ⁽⁷⁾			Anemia Low Hb/Hct ⁽⁸⁾	
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% >95th (Rank)	Number	% 85th- <95th (Rank)	% >95th (Rank)	Number	% (Rank)
Burke	1,658	9.0 (24)	5.2 (12)	5,068	5.1 (38)	10.2 (81)	12.9 (21)	2,325	14.2 (24)	12.8 (19)	4,221	8.2 (36)
Cabarrus	1,243	10.0 (58)	7.2 (60)	4,366	4.7 (29)	12.8 (91)	12.5 (16)	1,916	15.4 (34)	14.4 (41)	2,602	6.7 (23)
Caldwell	1,849	10.2 (61)	7.0 (55)	4,999	7.4 (89)	7.0 (33)	16.5 (71)	2,517	18.0 (82)	15.5 (54)	4,529	6.5 (21)
Camden	148	12.8 (95)	5.4 (14)	613	6.5 (71)	14.4 (96)	12.2 (13)	304	7.2 (1)	5.9 (1)	411	9.7 (43)
Carteret	875	9.8 (53)	8.8 (91)	2,610	4.3 (19)	11.3 (85)	13.5 (25)	1,160	15.9 (41)	17.4 (79)	2,223	8.6 (38)
Caswell	446	12.1 (88)	5.4 (14)	1,435	6.0 (63)	7.3 (39)	13.3 (23)	735	14.6 (27)	11.4 (13)	1,137	6.7 (23)
Catawba	2,637	9.8 (53)	7.5 (67)	4,427	5.0 (36)	18.0 (99)	9.2 (3)	1,542	17.8 (76)	15.8 (60)	5,816	7.7 (30)
Chatham	1,215	8.9 (21)	7.1 (58)	3,458	6.5 (71)	6.3 (23)	17.9 (86)	1,565	17.5 (74)	18.5 (86)	2,849	9.7 (43)
Cherokee	609	12.2 (89)	6.9 (49)	1,244	4.7 (29)	11.5 (87)	13.8 (32)	476	16.4 (54)	17.4 (79)	1,584	10.4 (48)
Chowan	359	11.7 (85)	5.6 (17)	1,473	4.6 (26)	8.6 (69)	14.3 (40)	693	17.9 (78)	15.0 (46)	1,133	18.2 (85)
Clay	177	3.4 (1)	8.5 (85)	642	6.9 (85)	5.9 (16)	14.3 (40)	358	17.3 (71)	19.3 (95)	592	5.9 (16)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this county's rate to other counties. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6B
2003 - 2005 Pediatric Nutrition Surveillance ⁽¹⁾
North Carolina
Comparison of Growth and Anemia Indicators by County
Children Aged < 5 Years ⁽²⁾

Comparison of Growth and Anemia Indicators by County ^(3,4)												
County	Birthweight ⁽⁵⁾			Height and Weight						Anemia Low Hb/Hct ⁽⁸⁾		
	Low	High		Short Stature ⁽⁶⁾	Under-weight ⁽⁷⁾	Over-weight ⁽⁷⁾	≥ 2 Yrs Over-weight ⁽⁷⁾					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% >95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Cleveland	1,881	9.1 (27)	8.4 (82)	2,104	2.9 (1)	12.6 (89)	14.4 (43)	170	17.1 (67)	10.0 (7)	373	6.4 (20)
Columbus	684	12.6 (94)	6.9 (49)	4,290	7.0 (87)	5.0 (6)	18.4 (92)	2,276	15.5 (36)	13.9 (30)	3,058	16.3 (78)
Craven	2,796	8.9 (21)	8.9 (95)	7,146	3.8 (8)	7.7 (53)	13.5 (25)	3,529	15.4 (34)	14.3 (38)	6,295	14.0 (73)
Cumberland	10,211	9.7 (48)	8.0 (80)	33,441	4.7 (29)	11.4 (86)	11.7 (11)	14,742	12.8 (13)	9.3 (4)	26,463	20.6 (90)
Currituck	400	7.5 (3)	9.0 (96)	1,318	6.0 (63)	6.7 (27)	14.9 (51)	538	16.2 (51)	13.0 (21)	918	8.8 (39)
Dare	366	9.6 (43)	7.9 (78)	1,236	6.7 (81)	3.9 (1)	16.7 (74)	641	19.2 (96)	15.4 (53)	1,106	10.3 (46)
Davidson	2,936	11.0 (72)	6.2 (28)	8,242	5.1 (38)	7.5 (47)	12.8 (20)	3,761	14.1 (22)	12.0 (15)	6,977	8.1 (34)
Davie	554	8.7 (16)	8.8 (91)	1,832	6.6 (75)	4.8 (5)	16.8 (76)	989	18.8 (92)	15.6 (56)	1,874	7.7 (30)
Duplin	1,862	9.6 (43)	5.0 (8)	3,672	4.8 (33)	15.2 (98)	14.7 (48)	1,442	13.8 (20)	18.7 (91)	1,468	27.2 (96)
Durham	4,185	9.6 (43)	6.4 (37)	9,318	6.6 (75)	8.3 (66)	15.3 (56)	4,405	12.1 (8)	12.6 (18)	976	13.5 (69)
Edgecombe	1,635	11.6 (84)	3.6 (2)	775	5.2 (41)	28.8(101)	7.7 (1)	68	* *	* *	200	11.5 (60)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this county's rate to other counties. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6B
2003 - 2005 Pediatric Nutrition Surveillance ⁽¹⁾
North Carolina
Comparison of Growth and Anemia Indicators by County
Children Aged < 5 Years ⁽²⁾

Comparison of Growth and Anemia Indicators by County ^(3,4)												
County	Birthweight ⁽⁵⁾			Height and Weight						Anemia Low Hb/Hct ⁽⁸⁾		
	Low	High		Short Stature ⁽⁶⁾	Under- weight ⁽⁷⁾	Over- weight ⁽⁷⁾		≥ 2 Yrs Over- weight ⁽⁷⁾				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% >95th (Rank)	Number	% 85th- <95th (Rank)	% >95th (Rank)	Number	% (Rank)
Forsyth	6,388	11.0 (72)	6.3 (34)	18,476	5.4 (48)	9.8 (77)	14.2 (38)	8,738	16.0 (47)	14.4 (41)	15,107	13.9 (71)
Franklin	1,022	7.8 (5)	7.5 (67)	3,196	3.9 (11)	7.7 (53)	14.6 (46)	1,840	17.1 (67)	15.1 (48)	2,253	6.5 (21)
Gaston	4,160	9.7 (48)	7.4 (63)	5,945	7.6 (91)	8.1 (62)	10.9 (6)	1,458	16.4 (54)	14.3 (38)	8,178	3.2 (4)
Gates	121	15.7 (101)	6.6 (41)	493	4.5 (23)	8.1 (62)	13.4 (24)	270	15.9 (41)	14.1 (34)	369	13.3 (68)
Graham	222	7.7 (4)	9.0 (96)	693	4.6 (26)	7.6 (50)	14.4 (43)	420	15.0 (28)	14.3 (38)	609	4.9 (9)
Granville	1,082	9.8 (53)	6.0 (22)	3,022	3.3 (2)	9.6 (76)	15.2 (55)	1,574	17.9 (78)	17.4 (79)	2,493	18.1 (84)
Greene	581	11.9 (87)	5.7 (18)	2,470	6.5 (71)	4.3 (2)	18.7 (94)	1,365	15.5 (36)	16.1 (64)	2,178	20.4 (89)
Guilford	5,965	11.0 (72)	6.2 (28)	13,754	5.2 (41)	8.9 (71)	11.7 (11)	9,059	13.8 (20)	13.2 (23)	9,632	5.4 (13)
Halifax	1,772	13.6 (98)	4.9 (7)	4,790	4.5 (23)	7.1 (35)	19.8 (99)	2,208	15.9 (41)	17.4 (79)	4,685	22.7 (93)
Harnett	2,450	8.9 (21)	7.5 (67)	7,710	6.6 (75)	6.2 (21)	16.0 (66)	3,887	16.5 (57)	13.4 (27)	6,246	12.7 (64)
Haywood	928	11.7 (85)	7.7 (75)	1,256	6.8 (82)	9.1 (74)	13.7 (28)	629	18.3 (87)	15.6 (56)	2,447	5.3 (12)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this county's rate to other counties. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6B
2003 - 2005 Pediatric Nutrition Surveillance ⁽¹⁾
North Carolina
Comparison of Growth and Anemia Indicators by County
Children Aged < 5 Years ⁽²⁾

Comparison of Growth and Anemia Indicators by County ^(3,4)												
County	Birthweight ⁽⁵⁾			Height and Weight						Anemia Low Hb/Hct ⁽⁸⁾		
	Low	High		Short Stature ⁽⁶⁾	Under- weight ⁽⁷⁾	Over- weight ⁽⁷⁾		≥ 2 Yrs Over- weight ⁽⁷⁾				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% >95th (Rank)	Number	% 85th- <95th (Rank)			% >95th (Rank)
Henderson	1,496	7.9 (6)	8.5 (85)	3,137	5.5 (51)	9.1 (74)	14.1 (35)	1,400	16.1 (48)	14.9 (45)	3,524	17.9 (82)
Hertford	750	12.5 (92)	3.9 (3)	2,409	4.1 (15)	9.8 (77)	12.6 (18)	1,049	16.9 (65)	15.9 (61)	1,672	10.2 (45)
Hoke	1,392	11.1 (77)	6.9 (49)	5,179	10.0 (98)	7.3 (39)	20.7(100)	2,410	16.5 (57)	16.5 (65)	3,276	30.7 (101)
Hyde	119	8.4 (11)	2.5 (1)	329	3.3 (2)	5.5 (11)	18.2 (91)	240	12.5 (11)	17.5 (83)	351	21.1 (91)
Iredell	2,498	9.7 (48)	6.7 (45)	8,892	5.1 (38)	7.2 (36)	14.4 (43)	3,815	15.3 (32)	12.9 (20)	6,594	3.3 (5)
Jackson	504	7.9 (6)	8.5 (85)	2,018	6.3 (67)	6.3 (23)	18.1 (89)	960	19.3 (98)	18.2 (85)	1,513	6.1 (19)
Johnston	2,245	9.0 (24)	6.1 (24)	5,233	5.8 (59)	7.2 (36)	14.9 (51)	2,397	16.1 (48)	16.8 (68)	5,270	10.7 (50)
Jones	251	8.8 (19)	9.2 (98)	503	3.8 (8)	8.0 (59)	15.1 (54)	316	18.0 (82)	15.5 (54)	372	11.0 (55)
Lee	1,441	9.4 (33)	5.7 (18)	4,643	4.4 (20)	7.0 (33)	17.9 (86)	2,053	17.5 (74)	18.6 (88)	3,437	27.2 (96)
Lenoir	1,702	11.0 (72)	6.2 (28)	5,090	3.4 (5)	12.4 (88)	12.6 (18)	2,176	12.2 (9)	10.8 (12)	3,777	10.8 (51)
Lincoln	1,330	7.9 (6)	6.6 (41)	1,488	3.3 (2)	12.8 (91)	11.4 (10)	716	8.5 (3)	7.1 (2)	3,091	2.8 (3)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this county's rate to other counties. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6B
2003 - 2005 Pediatric Nutrition Surveillance ⁽¹⁾
North Carolina
Comparison of Growth and Anemia Indicators by County
Children Aged < 5 Years ⁽²⁾

Comparison of Growth and Anemia Indicators by County ^(3,4)												
County	Birthweight ⁽⁵⁾			Height and Weight						Anemia Low Hb/Hct ⁽⁸⁾		
	Low	High		Short Stature ⁽⁶⁾	Under- weight ⁽⁷⁾	Over- weight ⁽⁷⁾		≥ 2 Yrs Over- weight ⁽⁷⁾			Number % (Rank)	
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% >95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)		
Macon	666	8.4 (11)	9.8 (101)	1,748	7.7 (92)	4.6 (4)	16.9 (78)	1,028	17.8 (76)	15.7 (59)	1,654	6.7 (23)
Madison	367	12.8 (95)	7.9 (78)	1,466	9.9 (97)	6.1 (19)	19.4 (97)	745	16.6 (59)	20.3 (96)	1,170	13.0 (66)
Martin	648	13.4 (97)	6.3 (34)	2,285	4.8 (33)	7.8 (56)	15.4 (59)	1,054	15.0 (28)	14.5 (43)	1,644	17.9 (82)
Mcdowell	862	10.3 (63)	7.0 (55)	3,012	4.9 (35)	6.3 (23)	14.0 (33)	1,612	15.3 (32)	13.3 (26)	2,522	15.3 (75)
Mecklenbur	11,199	9.6 (43)	6.9 (49)	28,962	6.6 (75)	7.5 (47)	15.8 (61)	13,226	16.7 (60)	16.9 (72)	16,993	7.7 (30)
Mitchell	327	6.7 (2)	6.4 (37)	1,182	11.1 (100)	5.5 (11)	14.0 (33)	687	13.4 (17)	13.2 (23)	1,107	2.3 (1)
Montgomery	779	9.8 (53)	7.6 (72)	2,983	7.5 (90)	8.0 (59)	18.0 (88)	1,387	19.5 (100)	19.0 (93)	2,240	5.6 (15)
Moore	1,436	8.8 (19)	7.5 (67)	4,868	5.0 (36)	7.6 (50)	16.4 (69)	2,422	17.3 (71)	14.2 (36)	4,573	10.3 (46)
Nash	2,299	8.4 (11)	6.7 (45)	6,456	5.3 (46)	10.0 (79)	13.7 (28)	2,705	15.2 (31)	14.6 (44)	4,232	8.1 (34)
New Hanove	3,069	11.4 (82)	7.2 (60)	5,677	6.8 (82)	5.2 (9)	15.3 (56)	2,648	16.3 (53)	15.1 (48)	3,847	5.9 (16)
Northhampt	550	12.5 (92)	6.2 (28)	2,110	4.6 (26)	6.9 (31)	16.1 (68)	1,124	18.3 (87)	16.9 (72)	1,634	23.6 (94)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this county's rate to other counties. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6B
2003 - 2005 Pediatric Nutrition Surveillance ⁽¹⁾
North Carolina
Comparison of Growth and Anemia Indicators by County
Children Aged < 5 Years ⁽²⁾

Comparison of Growth and Anemia Indicators by County ^(3,4)												
County	Birthweight ⁽⁵⁾			Height and Weight						Anemia Low Hb/Hct ⁽⁸⁾		
	Low	High		Short Stature ⁽⁶⁾	Under- weight ⁽⁷⁾	Over- weight ⁽⁷⁾		≥ 2 Yrs Over- weight ⁽⁷⁾				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% >95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% >95th (Rank)	Number
Onslow	6,505	8.7 (16)	7.8 (77)	18,411	4.2 (17)	9.0 (73)	10.1 (4)	7,769	14.2 (24)	9.3 (4)	14,150	4.8 (8)
Orange	1,332	9.1 (27)	9.5 (100)	5,236	6.4 (69)	7.3 (39)	17.4 (82)	2,493	17.9 (78)	20.3 (96)	4,174	14.8 (74)
Pamlico	252	8.7 (16)	7.5 (67)	966	5.6 (54)	8.0 (59)	16.0 (66)	479	19.0 (94)	19.2 (94)	528	10.6 (49)
Pasquotank	999	9.0 (24)	5.2 (12)	2,928	4.2 (17)	7.3 (39)	13.6 (27)	1,343	13.3 (15)	12.1 (16)	1,928	9.4 (42)
Pender	981	9.5 (38)	7.2 (60)	3,763	5.7 (57)	8.2 (65)	17.1 (79)	1,782	12.6 (12)	13.9 (30)	2,869	7.8 (33)
Perquimans	241	12.4 (91)	5.0 (8)	937	9.6 (95)	7.6 (50)	21.5 (101)	400	15.0 (28)	16.5 (65)	665	12.0 (61)
Person	765	12.3 (90)	8.8 (91)	2,665	3.9 (11)	7.3 (39)	14.8 (50)	1,261	15.9 (41)	14.0 (33)	2,144	6.9 (27)
Pitt	3,002	11.5 (83)	5.9 (21)	11,105	5.5 (51)	5.0 (6)	18.4 (92)	5,365	18.0 (82)	18.6 (88)	9,037	16.9 (80)
Polk	244	9.4 (33)	7.4 (63)	807	4.1 (15)	5.6 (13)	16.5 (71)	424	15.6 (38)	17.0 (75)	764	18.5 (86)
Randolph	2,996	9.2 (29)	9.2 (98)	8,379	5.2 (41)	7.5 (47)	17.8 (85)	3,832	19.2 (96)	22.9 (100)	7,636	5.1 (10)
Richmond	1,398	9.2 (29)	6.8 (48)	5,377	3.5 (7)	14.6 (97)	10.9 (6)	2,958	8.0 (2)	8.2 (3)	4,885	26.6 (95)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this county's rate to other counties. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6B
2003 - 2005 Pediatric Nutrition Surveillance ⁽¹⁾
North Carolina
Comparison of Growth and Anemia Indicators by County
Children Aged < 5 Years ⁽²⁾

Comparison of Growth and Anemia Indicators by County ^(3,4)												
County	Birthweight ⁽⁵⁾			Height and Weight						Anemia Low Hb/Hct ⁽⁸⁾		
	Low	High		Short Stature ⁽⁶⁾	Under-weight ⁽⁷⁾	Over-weight ⁽⁷⁾	≥ 2 Yrs Over-weight ⁽⁷⁾					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% >95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Robeson	3,477	10.4 (65)	6.9 (49)	8,383	5.8 (59)	8.9 (71)	15.3 (56)	5,765	14.1 (22)	14.2 (36)	6,816	5.2 (11)
Rockingham	1,630	10.6 (68)	6.9 (49)	6,047	3.4 (5)	13.0 (93)	11.2 (9)	2,657	10.7 (5)	10.0 (7)	4,661	8.4 (37)
Rowan	2,705	11.2 (78)	6.2 (28)	7,560	4.0 (14)	6.2 (21)	16.5 (71)	3,689	17.2 (70)	16.9 (72)	6,453	11.4 (59)
Rutherford	1,068	9.6 (43)	6.6 (41)	3,547	5.5 (51)	5.7 (14)	15.7 (60)	1,884	16.7 (60)	13.8 (29)	2,946	15.8 (77)
Sampson	2,014	8.4 (11)	8.8 (91)	6,514	6.6 (75)	10.0 (79)	17.5 (84)	3,185	15.9 (41)	17.2 (76)	5,540	18.5 (86)
Scotland	1,096	10.1 (59)	6.5 (40)	3,561	3.9 (11)	7.4 (45)	14.2 (38)	2,059	14.5 (26)	13.2 (23)	3,454	16.9 (80)
Stanly	1,129	10.7 (70)	6.7 (45)	3,023	5.3 (46)	7.2 (36)	14.7 (48)	1,706	13.3 (15)	11.9 (14)	2,880	29.2 (99)
Stokes	717	11.3 (80)	6.4 (37)	2,692	5.4 (48)	12.6 (89)	10.5 (5)	1,249	15.8 (40)	13.6 (28)	1,824	5.5 (14)
Surry	1,504	9.4 (33)	7.6 (72)	2,220	6.6 (75)	18.2(100)	9.0 (2)	653	11.8 (7)	10.4 (10)	4,075	2.6 (2)
Swain	237	10.1 (59)	7.6 (72)	918	5.9 (61)	4.4 (3)	11.0 (8)	537	13.6 (19)	9.9 (6)	850	10.8 (51)
Transylvan	553	9.4 (33)	7.4 (63)	1,392	4.4 (20)	13.1 (94)	12.4 (15)	688	16.1 (48)	15.1 (48)	986	6.7 (23)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this county's rate to other counties. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6B
2003 - 2005 Pediatric Nutrition Surveillance ⁽¹⁾
North Carolina
Comparison of Growth and Anemia Indicators by County
Children Aged < 5 Years ⁽²⁾

Comparison of Growth and Anemia Indicators by County ^(3,4)													
County	Birthweight ⁽⁵⁾			Height and Weight						Anemia Low Hb/Hct ⁽⁸⁾			
	Low	High		Short Stature ⁽⁶⁾	Under- weight ⁽⁷⁾	Over- weight ⁽⁷⁾		≥ 2 Yrs Over- weight ⁽⁷⁾			Anemia Low Hb/Hct ⁽⁸⁾		
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% >95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% >95th (Rank)	Number	% (Rank)
Tyrrell	172	9.3 (32)	8.7 (90)	677	9.2 (94)	5.9 (16)	17.3 (80)	369	19.0 (94)	16.8 (68)		484	18.6 (88)
Union	2,512	8.2 (9)	7.0 (55)	7,772	6.8 (82)	5.9 (16)	14.9 (51)	3,850	17.1 (67)	15.0 (46)		6,674	10.9 (54)
Vance	1,519	11.3 (80)	6.1 (24)	4,478	5.2 (41)	8.6 (69)	14.6 (46)	2,260	16.2 (51)	15.1 (48)		3,344	15.5 (76)
Wake	10,347	8.2 (9)	7.7 (75)	37,551	5.6 (54)	7.8 (56)	14.1 (35)	15,876	16.9 (65)	16.0 (63)		24,669	7.3 (29)
Warren	493	14.4 (99)	5.1 (11)	2,345	5.7 (57)	7.3 (39)	12.5 (16)	1,204	15.9 (41)	10.7 (11)		1,899	11.0 (55)
Washington	383	9.7 (48)	5.5 (16)	1,573	5.2 (41)	10.3 (82)	13.7 (28)	929	9.1 (4)	10.2 (9)		1,396	21.8 (92)
Watauga	580	8.6 (15)	6.0 (22)	1,937	4.5 (23)	8.3 (66)	13.2 (22)	1,005	16.8 (63)	12.3 (17)		1,417	12.7 (64)
Wayne Coun	3,055	9.4 (33)	8.5 (85)	9,024	4.4 (20)	13.2 (95)	12.2 (13)	4,142	18.5 (90)	15.6 (56)		7,089	12.3 (63)
Wilkes	1,503	10.4 (65)	6.3 (34)	3,731	5.9 (61)	6.9 (31)	15.8 (61)	2,167	18.5 (90)	17.8 (84)		3,275	7.2 (28)
Wilson Cou	2,102	10.4 (65)	5.8 (20)	7,630	5.6 (54)	6.7 (27)	18.7 (94)	3,419	18.0 (82)	18.5 (86)		6,088	9.2 (41)
Yadkin	763	10.2 (61)	8.3 (81)	2,211	7.3 (88)	6.3 (23)	17.3 (80)	1,136	18.0 (82)	18.6 (88)		2,074	13.6 (70)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this county's rate to other counties. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6B
2003 - 2005 Pediatric Nutrition Surveillance ⁽¹⁾
North Carolina
Comparison of Growth and Anemia Indicators by County
Children Aged < 5 Years ⁽²⁾

Comparison of Growth and Anemia Indicators by County ^(3,4)												
County	Birthweight ⁽⁵⁾			Height and Weight						Anemia Low Hb/Hct ⁽⁸⁾		
	Low	High		Short Stature ⁽⁶⁾	Under- weight ⁽⁷⁾	Over- weight ⁽⁷⁾	≥ 2 Yrs Over- weight ⁽⁷⁾					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% >95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% >95th (Rank)	Number
Yancey	361	9.7 (48)	5.0 (8)	1,347	8.4 (93)	5.2 (9)	16.8 (76)	814	18.9 (93)	18.9 (92)	1,227	8.9 (40)
Unknown Counties	1,232	10.6 (68)	6.6 (41)	4,466	4.7 (29)	10.7 (83)	14.1 (35)	2,064	17.9 (78)	16.5 (65)	2,706	10.8 (51)
North Carolina	172,187	9.9	7.1	496,450	5.6	8.5	14.6	234,675	15.7	14.7	390,731	11.7

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this county's rate to other counties. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 7B
2003 - 2005 Pediatric Nutrition Surveillance (1)
North Carolina

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County
(4,5)

County	Breastfeeding (5)				Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household	
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)
Alamance	2,997	49.0 (56)	1,708	21.3 (27)	1,533	17.2 (22)	0	* * *	0	* * *	0	* * *
Alexander	938	42.9 (71)	485	20.2 (32)	522	14.0 (38)	0	* * *	0	* * *	0	* * *
Alleghany	252	58.3 (26)	169	4.7 (93)	168	1.2 (94)	0	* * *	0	* * *	0	* * *
Anson	827	33.6 (89)	506	7.7 (85)	519	5.4 (83)	0	* * *	0	* * *	0	* * *
Ashe	655	52.7 (47)	393	14.0 (62)	369	11.1 (52)	0	* * *	0	* * *	0	* * *
Avery	339	67.3 (19)	62	* * *	58	* * *	0	* * *	0	* * *	0	* * *
Beaufort	1,344	46.1 (62)	880	14.1 (61)	845	8.3 (71)	0	* * *	0	* * *	0	* * *
Bertie	546	28.2 (92)	344	5.2 (91)	375	2.4 (93)	0	* * *	0	* * *	0	* * *
Bladen	1,117	49.2 (55)	645	19.5 (35)	607	19.6 (16)	0	* * *	0	* * *	0	* * *
Brunswick	2,120	45.9 (64)	1,049	17.4 (43)	1,084	13.9 (40)	0	* * *	0	* * *	0	* * *
Buncombe	4,593	80.6 (6)	2,622	24.9 (15)	2,651	16.3 (27)	0	* * *	0	* * *	0	* * *
Burke	2,008	53.7 (43)	1,160	12.4 (72)	1,166	8.5 (70)	0	* * *	0	* * *	0	* * *
Cabarrus	1,190	63.9 (21)	621	34.5 (3)	867	19.7 (15)	0	* * *	0	* * *	0	* * *
Caldwell	2,188	60.0 (25)	1,192	14.9 (56)	1,180	8.9 (68)	0	* * *	0	* * *	0	* * *

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.



Table 7B
2003 - 2005 Pediatric Nutrition Surveillance (1)
North Carolina

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County
(4,5)

County	Breastfeeding (5)				Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household	
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)
Camden	201	18.4 (99)	117	0.9 (96)	120	0.0 (96)	0	* * *	0	* * *	0	* * *
Carteret	1,127	55.3 (35)	602	13.0 (69)	527	7.8 (73)	0	* * *	0	* * *	0	* * *
Caswell	521	44.3 (70)	323	8.7 (81)	344	3.8 (88)	0	* * *	0	* * *	0	* * *
Catawba	3,003	57.2 (30)	1,843	16.5 (46)	1,564	13.2 (43)	0	* * *	0	* * *	0	* * *
Chatham	1,584	73.5 (11)	976	36.7 (2)	893	25.5 (4)	0	* * *	0	* * *	0	* * *
Cherokee	710	51.5 (50)	404	17.8 (40)	386	11.1 (52)	0	* * *	0	* * *	0	* * *
Chowan	438	24.4 (95)	269	5.9 (87)	284	3.2 (91)	0	* * *	0	* * *	0	* * *
Clay	224	54.9 (40)	137	13.9 (63)	144	14.6 (31)	0	* * *	0	* * *	0	* * *
Cleveland	1,917	22.5 (96)	221	14.5 (58)	197	10.2 (60)	0	* * *	0	* * *	0	* * *
Columbus	1,199	40.5 (76)	851	7.8 (84)	824	5.6 (82)	0	* * *	0	* * *	0	* * *
Craven	3,291	56.8 (33)	1,829	19.4 (37)	1,657	16.4 (26)	0	* * *	0	* * *	0	* * *
Cumberland	13,233	55.2 (37)	7,482	13.5 (66)	7,101	10.8 (56)	0	* * *	0	* * *	0	* * *
Currituck	483	71.8 (14)	275	1.1 (95)	277	1.1 (95)	0	* * *	0	* * *	0	* * *
Dare	497	94.6 (3)	313	30.0 (11)	286	19.6 (16)	0	* * *	0	* * *	0	* * *

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.



Table 7B
2003 - 2005 Pediatric Nutrition Surveillance (1)
North Carolina

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County
(4,5)

County	Breastfeeding (5)				Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household	
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)
Davidson	3,653	51.5 (50)	2,112	16.6 (45)	1,872	13.7 (41)	0	* * *	0	* * *	0	* * *
Davie	705	57.4 (28)	471	24.0 (18)	455	21.1 (12)	0	* * *	0	* * *	0	* * *
Duplin	2,019	55.1 (39)	565	14.5 (58)	567	12.3 (49)	0	* * *	0	* * *	0	* * *
Durham	5,109	54.4 (41)	3,560	25.5 (14)	3,352	21.4 (11)	0	* * *	0	* * *	0	* * *
Edgecombe	1,656	25.1 (93)	115	10.4 (78)	113	6.2 (79)	0	* * *	0	* * *	0	* * *
Forsyth	7,816	67.6 (18)	4,431	31.9 (6)	4,128	25.5 (4)	0	* * *	0	* * *	0	* * *
Franklin	1,086	39.8 (79)	219	14.2 (60)	222	10.8 (56)	0	* * *	0	* * *	0	* * *
Gaston	4,970	40.3 (77)	2,321	15.4 (52)	2,311	10.1 (62)	0	* * *	0	* * *	0	* * *
Gates	117	20.5 (98)	59	* * *	78	* * *	0	* * *	0	* * *	0	* * *
Graham	276	39.5 (81)	161	24.8 (16)	154	24.7 (8)	0	* * *	0	* * *	0	* * *
Granville	1,211	31.8 (91)	544	13.4 (67)	595	12.4 (48)	0	* * *	0	* * *	0	* * *
Greene	714	49.6 (54)	499	13.2 (68)	488	7.4 (74)	0	* * *	0	* * *	0	* * *
Guilford	6,559	57.3 (29)	1,491	21.7 (24)	1,381	14.6 (31)	0	* * *	0	* * *	0	* * *
Halifax	2,201	32.1 (90)	1,221	6.1 (86)	1,373	3.8 (88)	0	* * *	0	* * *	0	* * *

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.



Table 7B
2003 - 2005 Pediatric Nutrition Surveillance (1)
North Carolina

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County
(4,5)

County	Breastfeeding (5)			Exclusive Breastfeeding (6)			≤2 Hours TV Viewing/Day (7)		Smoking in Household	
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% (Rank)	Number	% (Rank)
Harnett	2,980	38.1 (84)	1,519	14.9 (56)	1,494	8.7 (69)	0	* * *	0	* * *
Haywood	1,100	48.1 (58)	615	17.7 (41)	635	11.0 (54)	0	* * *	0	* * *
Henderson	1,934	76.9 (7)	1,066	31.1 (9)	1,040	24.8 (7)	0	* * *	0	* * *
Hertford	875	33.8 (88)	470	5.5 (89)	534	4.3 (86)	0	* * *	0	* * *
Hoke	1,661	51.2 (52)	795	16.9 (44)	918	10.2 (60)	0	* * *	0	* * *
Hyde	143	58.0 (27)	65	* * *	64	* * *	0	* * *	0	* * *
Iredell	2,916	45.4 (67)	1,795	15.4 (52)	1,833	10.9 (55)	0	* * *	0	* * *
Jackson	600	62.2 (22)	367	22.1 (22)	347	16.7 (23)	0	* * *	0	* * *
Johnston	2,990	39.3 (82)	1,513	15.1 (54)	1,550	14.1 (35)	0	* * *	0	* * *
Jones	261	46.4 (61)	42	* * *	52	* * *	0	* * *	0	* * *
Lee	1,722	52.3 (49)	969	20.3 (31)	967	14.5 (33)	0	* * *	0	* * *
Lenoir	2,055	34.6 (86)	1,047	10.8 (77)	971	5.0 (85)	0	* * *	0	* * *
Lincoln	1,651	50.6 (53)	866	11.8 (75)	743	9.2 (66)	0	* * *	0	* * *
Macon	814	71.4 (15)	421	22.8 (19)	442	14.0 (38)	0	* * *	0	* * *

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.



Table 7B
2003 - 2005 Pediatric Nutrition Surveillance (1)
North Carolina

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County
(4,5)

County	Breastfeeding (5)			Exclusive Breastfeeding (6)			≤2 Hours TV Viewing/Day (7)		Smoking in Household	
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% (Rank)	Number	% (Rank)
Madison	444	94.4 (4)	259	22.4 (20)	265	15.5 (29)	0	* * *	0	* * *
Martin	753	37.3 (85)	421	12.6 (71)	455	8.1 (72)	0	* * *	0	* * *
Mcdowell	1,146	53.3 (45)	637	21.4 (26)	639	14.1 (35)	0	* * *	0	* * *
Mecklenbur	14,261	57.1 (31)	8,814	22.1 (22)	8,440	18.6 (19)	0	* * *	0	* * *
Mitchell	412	65.0 (20)	241	28.6 (12)	232	17.7 (21)	0	* * *	0	* * *
Montgomery	937	55.3 (35)	517	19.7 (34)	490	13.3 (42)	0	* * *	0	* * *
Moore	1,797	45.7 (65)	1,072	13.7 (65)	1,119	11.2 (50)	0	* * *	0	* * *
Nash	2,639	42.5 (73)	1,278	12.4 (72)	1,410	9.0 (67)	0	* * *	0	* * *
New Hanove	3,851	46.1 (62)	1,887	19.0 (38)	1,799	12.6 (47)	0	* * *	0	* * *
Northhampt	689	15.7(100)	334	5.7 (88)	378	4.0 (87)	0	* * *	0	* * *
Onslow	7,857	55.9 (34)	4,387	15.9 (50)	4,186	9.6 (64)	0	* * *	0	* * *
Orange	1,981	68.5 (16)	1,313	31.3 (8)	1,255	21.1 (12)	0	* * *	0	* * *
Pamlico	308	73.1 (12)	172	20.9 (29)	170	16.5 (25)	0	* * *	0	* * *
Pasquotank	1,179	24.5 (94)	670	5.2 (91)	689	5.1 (84)	0	* * *	0	* * *

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.



Table 7B
2003 - 2005 Pediatric Nutrition Surveillance (1)
North Carolina

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County
(4,5)

County	Breastfeeding (5)				Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household	
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)
Pender	1,243	39.6 (80)	749	4.4 (94)	688	2.8 (92)	0	* * *	0	* * *	0	* * *
Perquimans	291	22.0 (97)	192	8.9 (80)	179	6.7 (78)	0	* * *	0	* * *	0	* * *
Person	850	39.9 (78)	471	11.7 (76)	505	7.1 (76)	0	* * *	0	* * *	0	* * *
Pitt	3,366	48.2 (57)	2,232	13.9 (63)	2,186	10.3 (58)	0	* * *	0	* * *	0	* * *
Polk	301	60.5 (24)	159	19.5 (35)	150	12.7 (46)	0	* * *	0	* * *	0	* * *
Randolph	3,749	67.7 (17)	2,202	20.8 (30)	1,848	11.2 (50)	0	* * *	0	* * *	0	* * *
Richmond	1,819	42.8 (72)	1,171	10.2 (79)	1,086	7.1 (76)	0	* * *	0	* * *	0	* * *
Robeson	3,634	38.3 (83)	599	16.4 (47)	538	14.1 (35)	0	* * *	0	* * *	0	* * *
Rockingham	1,863	45.6 (66)	1,249	17.5 (42)	1,246	13.2 (43)	0	* * *	0	* * *	0	* * *
Rowan	3,175	54.0 (42)	1,838	16.1 (48)	1,797	10.3 (58)	0	* * *	0	* * *	0	* * *
Rutherford	1,242	47.7 (59)	530	18.3 (39)	522	15.3 (30)	0	* * *	0	* * *	0	* * *
Sampson	2,397	44.6 (69)	1,471	20.1 (33)	1,472	16.2 (28)	0	* * *	0	* * *	0	* * *
Scotland	1,291	40.9 (75)	849	5.4 (90)	941	3.7 (90)	0	* * *	0	* * *	0	* * *
Stanly	1,328	74.8 (10)	709	8.3 (82)	748	6.1 (80)	0	* * *	0	* * *	0	* * *

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.



Table 7B
2003 - 2005 Pediatric Nutrition Surveillance (1)
North Carolina

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County
(4,5)

County	Breastfeeding (5)			Exclusive Breastfeeding (6)			≤2 Hours TV Viewing/Day (7)		Smoking in Household	
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% (Rank)	Number	% (Rank)
Stokes	908	52.5 (48)	514	12.1 (74)	542	7.4 (74)	0	* * *	0	* * *
Surry	1,765	57.1 (31)	1,105	22.3 (21)	1,064	19.3 (18)	0	* * *	0	* * *
Swain	317	99.1 (1)	202	24.3 (17)	207	23.7 (9)	0	* * *	0	* * *
Transylvan	619	91.8 (5)	177	33.9 (5)	174	25.3 (6)	0	* * *	0	* * *
Tyrrell	210	55.2 (37)	112	26.8 (13)	122	20.5 (14)	0	* * *	0	* * *
Union	3,168	76.3 (9)	1,708	21.1 (28)	1,806	18.1 (20)	0	* * *	0	* * *
Vance	1,774	52.9 (46)	839	42.1 (1)	967	39.9 (1)	0	* * *	0	* * *
Wake	11,999	76.5 (8)	6,943	31.9 (6)	6,866	31.8 (3)	0	* * *	0	* * *
Warren	629	34.2 (87)	399	13.0 (69)	421	9.7 (63)	0	* * *	0	* * *
Washington	456	45.0 (68)	289	8.0 (83)	343	6.1 (80)	0	* * *	0	* * *
Watauga	704	60.7 (23)	379	34.0 (4)	386	32.6 (2)	0	* * *	0	* * *
Wayne Coun	3,733	53.7 (43)	1,891	15.7 (51)	2,069	9.6 (64)	0	* * *	0	* * *
Wilkes	1,681	47.0 (60)	875	15.0 (55)	846	12.8 (45)	0	* * *	0	* * *
Wilson Cou	2,548	41.3 (74)	1,543	16.0 (49)	1,549	14.4 (34)	0	* * *	0	* * *

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.



Table 7B
2003 - 2005 Pediatric Nutrition Surveillance (1)
North Carolina

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County
(4,5)

County	Breastfeeding (5)			Exclusive Breastfeeding (6)			≤2 Hours TV Viewing/Day (7)		Smoking in Household	
	Number (Rank)	% Ever Breastfed (Rank)	Number % Breastfed At Least 6 Months (Rank)	Number % Breastfed At Least 12 Months (Rank)	Number % Breastfed At Least 3 Months (Rank)	Number % Breastfed At Least 6 Months (Rank)	Number (Rank)	% (Rank)	Number (Rank)	% (Rank)
Yadkin	928	72.4 (13)	531 21.7 (24)	569 16.7 (23)	0 * *	0 * *	0 * *	0 * *	0 * *	
Yancey	400	96.8 (2)	268 31.0 (10)	282 23.4 (10)	0 * *	0 * *	0 * *	0 * *	0 * *	
North Carolina	208,624	54.3	112,427 19.3	110,225 14.9	0 *	0 *	0 *	0 *	0 *	

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

