

**North Carolina Nutrition and Physical Activity Surveillance System* (NC-NPASS) 2009
Prevalence of Obesity, Overweight, Healthy Weight and Underweight in
Children 2 through 4 years of age, By County, NC-NPASS*, 2009**

HEALTH DEPARTMENT	UNDERWEIGHT		HEALTHY WEIGHT		OVERWEIGHT			OBESE			TOTAL
	<5th Percentile		>=5th to <85th Percentile		>=85th to <95th Percentile			>=95th Percentile			
	#	%	#	%	#	%	RANK ** ORDER	#	%	RANK ** ORDER	#
STATEWIDE	2,495	3.8%	42,715	65.0%	10,384	15.8%		10,157	15.4%		65,751
ALAMANCE	17	2.0%	561	67.2%	108	12.9%	13	149	17.8%	74	835
ALEXANDER	13	5.6%	142	60.7%	41	17.5%	75	38	16.2%	55	234
ALLEGHANY	2	2.3%	52	60.5%	16	18.6%	87	16	18.6%	85	86
ANSON	38	15.7%	164	67.8%	22	9.1%	3	18	7.4%	3	242
ASHE	13	7.9%	108	65.5%	26	15.8%	47	18	10.9%	13	165
AVERY	4	3.3%	75	61.5%	26	21.3%	99	17	13.9%	34	122
BEAUFORT	13	3.3%	258	65.2%	64	16.2%	54	61	15.4%	44	396
BERTIE	11	6.1%	114	63.3%	24	13.3%	19	31	17.2%	65	180
BLADEN	10	2.5%	257	63.8%	65	16.1%	53	71	17.6%	70	403
BRUNSWICK	19	2.4%	507	64.5%	128	16.3%	56	132	16.8%	60	786
BUNCOMBE	39	2.5%	1,018	65.1%	242	15.5%	42	265	16.9%	62	1,564
BURKE	14	2.5%	339	61.5%	98	17.8%	79	100	18.1%	77	551
CABARRUS	33	1.9%	1,035	60.4%	326	19.0%	91	320	18.7%	86	1,714
CALDWELL	14	2.3%	358	60.0%	103	17.3%	69	122	20.4%	94	597
CAMDEN	3	4.2%	45	63.4%	14	19.7%	95	9	12.7%	20	71
CARTERET	8	2.4%	213	64.2%	53	16.0%	51	58	17.5%	69	332
CASWELL	10	4.4%	155	67.7%	41	17.9%	81	23	10.0%	6	229
CATAWBA	21	2.6%	505	63.0%	141	17.6%	77	134	16.7%	58	801
CHATHAM	23	4.4%	329	63.4%	73	14.1%	29	94	18.1%	76	519
CHEROKEE	5	2.1%	150	63.6%	42	17.8%	80	39	16.5%	57	236
CHOWAN	5	4.3%	83	70.9%	14	12.0%	10	15	12.8%	21	117
CLAY	3	2.8%	72	66.1%	14	12.8%	12	20	18.3%	82	109
CLEVELAND	9	4.2%	138	64.5%	28	13.1%	15	39	18.2%	79	214
COLUMBUS	29	4.6%	396	63.3%	110	17.6%	76	91	14.5%	36	626
CRAVEN	50	4.6%	721	66.8%	168	15.6%	44	141	13.1%	23	1,080

* North Carolina-Nutrition and Physical Activity Surveillance System (NC-NPASS) includes data on children seen in North Carolina Public Health Sponsored WIC and Child Health Clinics and some School Based Health Centers. Page 1 of 4

**North Carolina Nutrition and Physical Activity Surveillance System* (NC-NPASS) 2009
Prevalence of Obesity, Overweight, Healthy Weight and Underweight in
Children 2 through 4 years of age, By County, NC-NPASS*, 2009**

HEALTH DEPARTMENT	UNDERWEIGHT		HEALTHY WEIGHT		OVERWEIGHT			OBESE			TOTAL
	<5th Percentile		>=5th to <85th Percentile		>=85th to <95th Percentile			>=95th Percentile			
	#	%	#	%	#	%	RANK ** ORDER	#	%	RANK ** ORDER	#
STATEWIDE	2,495	3.8%	42,715	65.0%	10,384	15.8%		10,157	15.4%		65,751
CUMBERLAND	370	10.5%	2,654	75.5%	283	8.1%	2	208	5.9%	1	3,515
CURRITUCK	2	1.8%	84	74.3%	15	13.3%	18	12	10.6%	10	113
DARE	9	3.5%	174	67.2%	36	13.9%	27	40	15.4%	47	259
DAVIDSON	23	2.3%	687	68.7%	150	15.0%	36	140	14.0%	35	1,000
DAVIE	5	2.2%	159	68.8%	32	13.9%	26	35	15.2%	40	231
DUPLIN	11	3.0%	223	60.1%	56	15.1%	38	81	21.8%	98	371
DURHAM	73	4.0%	1,131	61.4%	271	14.7%	34	368	20.0%	93	1,843
EDGECOMBE	6	3.4%	117	67.2%	27	15.5%	43	24	13.8%	30	174
FORSYTH	74	3.3%	1,459	64.6%	393	17.4%	73	331	14.7%	38	2,257
FRANKLIN	17	3.7%	277	60.1%	83	18.0%	85	84	18.2%	78	461
GASTON	27	2.7%	675	67.0%	173	17.2%	68	133	13.2%	24	1,008
GATES	3	3.4%	58	65.9%	15	17.0%	66	12	13.6%	27	88
GRAHAM	3	3.2%	58	61.7%	20	21.3%	98	13	13.8%	31	94
GRANVILLE	13	3.0%	278	65.1%	58	13.6%	21	78	18.3%	80	427
GREENE	5	1.8%	185	67.3%	42	15.3%	41	43	15.6%	51	275
GUILFORD	85	3.6%	1,531	65.1%	392	16.7%	62	342	14.6%	37	2,350
HALIFAX	25	4.0%	415	65.8%	94	14.9%	35	97	15.4%	42	631
HARNETT	39	4.1%	612	65.1%	142	15.1%	39	147	15.6%	52	940
HAYWOOD	11	3.8%	195	67.5%	38	13.1%	16	45	15.6%	49	289
HENDERSON	14	2.3%	374	61.7%	118	19.5%	92	100	16.5%	56	606
HERTFORD	13	5.3%	177	71.7%	32	13.0%	14	25	10.1%	7	247
HOKE	9	1.4%	381	60.5%	119	18.9%	89	121	19.2%	90	630
HYDE	8	11.3%	41	57.7%	7	9.9%	5	15	21.1%	97	71
IREDELL	30	2.5%	789	64.8%	203	16.7%	61	195	16.0%	53	1,217
JACKSON	4	1.9%	130	63.1%	29	14.1%	30	43	20.9%	96	206

* North Carolina-Nutrition and Physical Activity Surveillance System (NC-NPASS) includes data on children seen in North Carolina Public Health Sponsored WIC and Child Health Clinics and some School Based Health Centers. Page 2 of 4

**North Carolina Nutrition and Physical Activity Surveillance System* (NC-NPASS) 2009
Prevalence of Obesity, Overweight, Healthy Weight and Underweight in
Children 2 through 4 years of age, By County, NC-NPASS*, 2009**

HEALTH DEPARTMENT	UNDERWEIGHT		HEALTHY WEIGHT		OVERWEIGHT			OBESE			TOTAL
	<5th Percentile		>=5th to <85th Percentile		>=85th to <95th Percentile			>=95th Percentile			
	#	%	#	%	#	%	RANK ** ORDER	#	%	RANK ** ORDER	#
STATEWIDE	2,495	3.8%	42,715	65.0%	10,384	15.8%		10,157	15.4%		65,751
JOHNSTON	30	2.8%	653	60.7%	193	17.9%	82	200	18.6%	84	1,076
JONES	5	3.9%	89	70.1%	20	15.7%	46	13	10.2%	8	127
LEE	11	2.1%	332	63.5%	91	17.4%	72	89	17.0%	64	523
LENOIR	53	9.1%	414	71.4%	60	10.3%	7	53	9.1%	4	580
LINCOLN	32	6.6%	349	72.1%	51	10.5%	8	52	10.7%	11	484
MACON	10	3.8%	164	62.8%	52	19.9%	96	35	13.4%	26	261
MADISON	7	4.8%	103	70.5%	20	13.7%	24	16	11.0%	14	146
MARTIN	17	5.8%	187	64.0%	39	13.4%	20	49	16.8%	59	292
MCDOWELL	23	5.4%	296	69.0%	59	13.8%	25	51	11.9%	17	429
MECKLENBURG	141	3.2%	2,779	62.2%	776	17.4%	71	770	17.2%	66	4,466
MITCHELL	5	5.2%	59	61.5%	15	15.6%	45	17	17.7%	72	96
MONTGOMERY	5	1.3%	243	64.1%	60	15.8%	49	71	18.7%	87	379
MOORE	18	3.3%	346	63.1%	89	16.2%	55	95	17.3%	67	548
NASH	37	4.4%	529	62.8%	146	17.3%	70	130	15.4%	46	842
NEW HANOVER	28	3.3%	546	63.6%	154	17.9%	84	130	15.2%	40	858
NORTHAMPTON	21	7.2%	180	61.4%	40	13.7%	22	52	17.7%	73	293
ONslow	44	2.2%	1,424	70.2%	325	16.0%	52	236	11.6%	16	2,029
ORANGE	51	7.5%	460	67.5%	96	14.1%	31	74	10.9%	12	681
PAMLICO	4	3.8%	58	54.7%	24	22.6%	100	20	18.9%	89	106
PASQUOTANK	12	3.7%	222	68.9%	44	13.7%	23	44	13.7%	29	322
PENDER	6	1.0%	311	53.9%	113	19.6%	93	147	25.5%	101	577
PERQUIMANS	0	0.0%	73	68.2%	10	9.3%	4	24	22.4%	99	107
PERSON	11	4.1%	159	59.8%	53	19.9%	97	43	16.2%	54	266
PITT	24	2.5%	603	63.6%	150	15.8%	48	171	18.0%	75	948
POLK	3	2.8%	70	64.2%	19	17.4%	74	17	15.6%	50	109

* North Carolina-Nutrition and Physical Activity Surveillance System (NC-NPASS) includes data on children seen in North Carolina Public Health Sponsored WIC and Child Health Clinics and some School Based Health Centers. Page 3 of 4

North Carolina Nutrition and Physical Activity Surveillance System* (NC-NPASS) 2009
Prevalence of Obesity, Overweight, Healthy Weight and Underweight in
Children 2 through 4 years of age, By County, NC-NPASS*, 2009

HEALTH DEPARTMENT	UNDERWEIGHT		HEALTHY WEIGHT		OVERWEIGHT			OBESE			TOTAL
	<5th Percentile		>=5th to <85th Percentile		>=85th to <95th Percentile			>=95th Percentile			
	#	%	#	%	#	%	RANK ** ORDER	#	%	RANK ** ORDER	#
STATEWIDE	2,495	3.8%	42,715	65.0%	10,384	15.8%		10,157	15.4%		65,751
RANDOLPH	27	3.0%	610	67.2%	130	14.3%	33	141	15.5%	48	908
RICHMOND	64	11.6%	391	70.8%	39	7.1%	1	58	10.5%	9	552
ROBESON	42	2.7%	977	63.9%	251	16.4%	57	260	17.0%	63	1,530
ROCKINGHAM	16	2.3%	428	62.7%	114	16.7%	63	125	18.3%	81	683
ROWAN	38	3.8%	700	69.7%	143	14.2%	32	124	12.3%	18	1,005
RUTHERFORD	23	3.8%	401	66.0%	101	16.6%	60	83	13.7%	28	608
SAMPSON	13	1.8%	427	59.8%	140	19.6%	94	134	18.8%	88	714
SCOTLAND	16	4.2%	255	66.4%	63	16.4%	58	50	13.0%	22	384
STANLY	8	2.1%	250	65.4%	71	18.6%	86	53	13.9%	32	382
STOKES	5	1.7%	185	61.7%	57	19.0%	90	53	17.7%	71	300
SURRY	22	2.9%	460	60.2%	135	17.7%	78	147	19.2%	91	764
SWAIN	1	1.0%	72	69.9%	17	16.5%	59	13	12.6%	19	103
TRANSYLVANIA	7	3.6%	127	65.1%	31	15.9%	50	30	15.4%	43	195
TYRRELL	4	4.0%	66	65.3%	10	9.9%	6	21	20.8%	95	101
UNION	32	2.7%	759	64.7%	201	17.1%	67	181	15.4%	45	1,173
VANCE	59	12.0%	327	66.6%	59	12.0%	11	46	9.4%	5	491
WAKE	107	2.5%	2,758	63.3%	735	16.9%	64	758	17.4%	68	4,358
WARREN	18	8.1%	157	71.0%	31	14.0%	28	15	6.8%	2	221
WASHINGTON	22	10.2%	140	64.8%	24	11.1%	9	30	13.9%	33	216
WATAUGA	5	2.5%	143	71.5%	30	15.0%	36	22	11.0%	15	200
WAYNE	31	3.2%	654	68.2%	146	15.2%	40	128	13.3%	25	959
WILKES	11	2.4%	280	61.3%	82	17.9%	83	84	18.4%	83	457
WILSON	33	4.0%	505	60.5%	156	18.7%	88	141	16.9%	61	835
YADKIN	1	0.4%	171	66.5%	34	13.2%	17	51	19.8%	92	257
YANCEY	7	4.7%	94	63.5%	25	16.9%	65	22	14.9%	39	148
Eastern Band of Cherokee Indians	0	0.0%	70	46.7%	45	30.0%	101	35	23.3%	100	150

** Counties are ranked from 1 to 100, with 1 indicating the lowest (best) rate of overweight or obesity and 100 indicating the worst (highest) rate.