## 4A. a. Percentage of children two to four years of age who received services from the health department and who, according to their Body Mass Index (BMI) for age and gender were at a healthy weight (BMI less than the 85th percentile but at or greater than the 5th percentile)

Numerator (Num) equals the number of children two to four years of age receiving services at local health department with BMI percentile of less than 85th but at or greater than the 5th percentile (Source:NC Nutrition and Physical Activity Surveillance System).

County/District Health Department	CY01-CY03	CY04-CY06	CY07-CY09	% Change from first 3- year period to	CY2009		
	%	%	%	most recent 3- year period	<u>Numerator</u>	<u>Denominator</u>	<u>%</u>
Alamance County	64.9%	62.5%	65.4%	0.7%	561	835	67.2%
Albemarle Regional Health Services	66.6%	65.2%	65.6%	-1.5%	679	998	68.0%
Alexander County	59.0%	63.6%	67.3%	14.1%	142	234	60.7%
Anson County	70.1%	66.0%	67.6%	-3.6%	164	242	67.8%
Appalachian District	68.9%	66.9%	66.2%	-3.8%	303	451	67.2%
Beaufort County	65.1%	63.8%	66.2%	1.7%	258	396	65.2%
Bladen County	64.3%	65.5%	63.2%	-1.8%	257	403	63.8%
Brunswick County	66.7%	66.6%	64.5%	-3.4%	507	786	64.5%
Buncombe County	68.0%	63.4%	64.5%	-5.2%	1,018	1,564	65.1%
Burke County	67.5%	66.0%	62.1%	-8.0%	339	551	61.5%
Cabarrus County	65.7%	64.5%	61.4%	-6.4%	1,035	1,714	60.4%
Caldwell County	68.6%	62.5%	57.7%	-15.9%	358	597	60.0%
Carteret County	63.0%	63.2%	65.3%	3.7%	213	332	64.2%
Caswell County	70.1%	68.0%	69.4%	-1.1%	155	229	67.7%
Catawba County	65.6%	60.9%	62.0%	-5.4%	505	801	63.0%
Chatham County	61.2%	61.0%	62.3%	1.8%	329	519	63.4%
Cherokee County	65.2%	68.5%	68.4%	4.8%	150	236	63.6%
Clay County	66.8%	61.2%	64.8%	-3.1%	72	109	66.1%
Cleveland County	68.4%	70.3%	67.7%	-1.1%	138	214	64.5%
Columbus County	69.8%	65.2%	64.5%	-7.5%	396	626	63.3%
Craven County	70.6%	64.4%	67.9%	-3.8%	721	1,080	66.8%
Cumberland County	73.0%	73.4%	74.8%	2.4%	2,654	3,515	75.5%
Dare County	65.7%	62.7%	65.6%	-0.2%	174	259	67.2%
Davidson County	69.9%	70.5%	67.3%	-3.6%	687	1,000	68.7%
Davie County	62.4%	67.3%	66.6%	6.6%	159	231	68.8%
Duplin County	59.7%	58.2%	58.0%	-2.8%	223	371	60.1%
Durham County	71.9%	58.5%	59.6%	-17.1%	1,131	1,843	61.4%
Edgecombe County	64.3%	66.0%	66.6%	3.6%	117	174	67.2%
Forsyth County	68.1%	65.9%	64.7%	-5.0%	1,459	2,257	64.6%
North Carolina	67.3%	65.4%	65.1%	-3.2%	42,645	65,601	65.0%

<sup>\*</sup>If there are no data present, there were either no children seen in the child health clinic at the local health department or none of the children who were seen fell into this BMI-for-age range. Data prior to 2000 are based on child's county of residence rather than the service site.

## 4A. a. Percentage of children two to four years of age who received services from the health department and who, according to their Body Mass Index (BMI) for age and gender were at a healthy weight (BMI less than the 85th percentile but at or greater than the 5th percentile)

Numerator (Num) equals the number of children two to four years of age receiving services at local health department with BMI percentile of less than 85th but at or greater than the 5th percentile (Source:NC Nutrition and Physical Activity Surveillance System).

County/District Health Department	CY01-CY03	CY04-CY06	CY07-CY09	% Change from first 3- year period to	CY2009		
	%	%	%	most recent 3- year period	<u>Numerator</u>	<u>Denominator</u>	<u>%</u>
Franklin County	64.4%	65.0%	55.7%	-13.4%	277	461	60.1%
Gaston County	67.8%	66.0%	67.5%	-0.4%	675	1,008	67.0%
Graham County	71.0%	65.4%	64.9%	-8.6%	58	94	61.7%
Granville-Vance District	63.7%	65.3%	65.3%	2.6%	605	918	65.9%
Greene County	67.9%	65.9%	65.5%	-3.6%	185	275	67.3%
Guilford County	70.3%	68.6%	65.5%	-6.9%	1,531	2,350	65.1%
Halifax County	64.2%	66.5%	65.8%	2.5%	415	631	65.8%
Harnett County	68.0%	66.4%	66.0%	-2.9%	612	940	65.1%
Haywood County	66.7%	63.7%	66.1%	-0.8%	195	289	67.5%
Henderson County	69.2%	64.2%	63.6%	-8.0%	374	606	61.7%
Hertford County	63.3%	65.6%	68.8%	8.6%	177	247	71.7%
Hoke County	66.8%	62.6%	60.1%	-10.0%	381	630	60.5%
Hyde County	67.4%	63.5%	66.2%	-1.7%	41	71	57.7%
Iredell County	70.2%	69.6%	67.0%	-4.6%	789	1,217	64.8%
Jackson County	62.4%	60.5%	59.4%	-4.9%	130	206	63.1%
Johnston County	63.6%	60.9%	62.2%	-2.1%	653	1,076	60.7%
Jones County	68.1%	70.7%	71.1%	4.4%	89	127	70.1%
Lee County	50.1%	68.2%	65.3%	30.4%	332	523	63.5%
Lenoir County	69.3%	70.0%	69.4%	0.1%	414	580	71.4%
Lincoln County	67.8%	70.2%	72.5%	7.0%	349	484	72.1%
Macon County	69.4%	63.3%	67.6%	-2.5%	164	261	62.8%
Madison County	64.4%	61.3%	67.6%	5.0%	103	146	70.5%
Martin-Tyrrell-Washington District	65.1%	66.5%	64.6%	-0.8%	393	609	64.5%
Mecklenburg County	64.7%	62.7%	62.8%	-2.9%	2,779	4,466	62.2%
Montgomery County	65.8%	60.4%	62.8%	-4.6%	243	379	64.1%
Moore County	68.8%	65.9%	65.4%	-5.0%	346	548	63.1%
Nash County	65.6%	65.5%	65.3%	-0.5%	529	842	62.8%
New Hanover County	67.1%	66.9%	64.8%	-3.5%	546	858	63.6%
Northampton County	66.6%	60.0%	62.3%	-6.4%	180	293	61.4%
North Carolina	67.3%	65.4%	65.1%	-3.2%	42,645	65,601	65.0%

<sup>\*</sup>If there are no data present, there were either no children seen in the child health clinic at the local health department or none of the children who were seen fell into this BMI-for-age range. Data prior to 2000 are based on child's county of residence rather than the service site.

# 4A. a. Percentage of children two to four years of age who received services from the health department and who, according to their Body Mass Index (BMI) for age and gender were at a healthy weight (BMI less than the 85th percentile but at or greater than the 5th percentile)

Numerator (Num) equals the number of children two to four years of age receiving services at local health department with BMI percentile of less than 85th but at or greater than the 5th percentile (Source:NC Nutrition and Physical Activity Surveillance System).

County/District Health Department	CY01-CY03	CY04-CY06	CY07-CY09	% Change from first 3- year period to	CY2009			
	%	%	%	most recent 3- year period	<u>Numerator</u>	<u>Denominator</u>	<u>%</u>	
Onslow County	73.2%	72.0%	69.9%	-4.5%	1,424	2,029	70.2%	
Orange County	62.4%	59.5%	65.4%	4.8%	460	681	67.5%	
Pamlico County	62.0%	61.3%	63.6%	2.5%	58	106	54.7%	
Pender County	68.2%	63.1%	58.1%	-14.9%	311	577	53.9%	
Person County	66.8%	67.2%	62.4%	-6.6%	159	266	59.8%	
Pitt County	59.6%	65.0%	64.5%	8.1%	603	948	63.6%	
Randolph County	60.4%	58.2%	65.4%	8.4%	610	908	67.2%	
Richmond County	68.9%	68.0%	68.9%	0.0%	391	552	70.8%	
Robeson County	69.3%	66.4%	63.9%	-7.8%	977	1,530	63.9%	
Rockingham County	71.3%	69.4%	63.3%	-11.1%	428	683	62.7%	
Rowan County	64.4%	62.7%	68.7%	6.8%	700	1,005	69.7%	
Rutherford-Polk-McDowell District	68.5%	67.6%	67.2%	-2.0%	767	1,146	66.9%	
Sampson County	60.1%	59.5%	54.1%	-9.9%	427	714	59.8%	
Scotland County	65.9%	68.8%	67.1%	1.7%	255	384	66.4%	
Stanly County	73.2%	70.8%	67.8%	-7.4%	250	382	65.4%	
Stokes County	68.8%	65.5%	61.7%	-10.3%	185	300	61.7%	
Surry County	72.4%	67.8%	62.7%	-13.4%	460	764	60.2%	
Swain County	70.0%	71.9%	68.0%	-2.9%	72	103	69.9%	
Toe River District	67.0%	67.0%	66.9%	-0.2%	228	366	62.3%	
Transylvania County	65.9%	66.6%	67.8%	2.9%	127	195	65.1%	
Union County	67.8%	66.3%	65.7%	-3.1%	759	1,173	64.7%	
Wake County	68.0%	63.9%	63.5%	-6.6%	2,758	4,358	63.3%	
Warren County	69.5%	71.7%	70.5%	1.4%	157	221	71.0%	
Wayne County	65.4%	63.2%	65.9%	0.8%	654	959	68.2%	
Wilkes County	65.3%	60.5%	64.4%	-1.5%	280	457	61.3%	
Wilson County	64.7%	62.1%	62.4%	-3.5%	505	835	60.5%	
Yadkin County	65.2%	62.2%	64.8%	-0.7%	171	257	66.5%	
·						<u></u>		
North Carolina	67.3%	65.4%	65.1%	-3.2%	42,645	65,601	65.0%	

<sup>\*</sup>If there are no data present, there were either no children seen in the child health clinic at the local health department or none of the children who were seen fell into this BMI-for-age range. Data prior to 2000 are based on child's county of residence rather than the service site.

### 4A. a. Percentage of children two to four years of age who received services from the health department and who, according to their Body Mass Index (BMI) for age and gender were at a healthy weight (BMI less than the 85th percentile but at or greater than the 5th percentile)

Numerator (Num) equals the number of children two to four years of age receiving services at local health department with BMI percentile of less than 85th but at or greater than the 5th percentile (Source:NC Nutrition and Physical Activity Surveillance System).

County/District Health Department	CY01-CY03	CY04-CY06	CY07-CY09	% Change from first 3- year period to	CY2009			
Gounty/District recutar Department	%	%	%	most recent 3- year period	<u>Numerator</u>	<u>Denominator</u>	<u>%</u>	
Alleghany	70.1%	58.0%	54.6%	-22.0%	52	86	60.5%	
Ashe	71.8%	68.6%	63.9%	-11.0%	108	165	65.5%	
Avery	63.7%	64.7%	63.3%	-0.5%	75	122	61.5%	
Bertie	63.7%	65.1%	63.4%	-0.5%	114	180	63.3%	
Camden	77.9%	69.3%	66.3%	-14.8%	45	71	63.4%	
Chowan	65.6%	62.0%	68.5%	4.5%	83	117	70.9%	
Currituck	65.5%	66.3%	67.8%	3.5%	84	113	74.3%	
Gates	65.0%	65.5%	64.3%	-1.0%	58	88	65.9%	
Granville	62.6%	62.9%	62.3%	-0.4%	278	427	65.1%	
Martin	66.7%	66.0%	63.2%	-5.2%	187	292	64.0%	
McDowell	68.4%	68.3%	68.4%	-0.1%	296	429	69.0%	
Mitchell	69.9%	69.9%	69.6%	-0.5%	59	96	61.5%	
Pasquotank	69.4%	66.4%	65.5%	-5.6%	222	322	68.9%	
Perquimans	62.9%	61.5%	65.0%	3.4%	73	107	68.2%	
Polk	65.1%	66.0%	68.4%	5.1%	70	109	64.2%	
Rutherford	69.1%	67.5%	66.0%	-4.4%	401	608	66.0%	
Tyrrell	62.1%	62.0%	65.2%	5.0%	66	101	65.3%	
Vance	64.4%	67.1%	67.9%	5.5%	327	491	66.6%	
Washington	64.3%	68.9%	66.2%	3.0%	140	216	64.8%	
Watauga	65.5%	68.9%	73.7%	12.6%	143	200	71.5%	
Yancey	67.2%	66.3%	67.6%	0.6%	94	148	63.5%	

North Carolina	67.3%	65.4%	65.1%	-3.2%	42,645	65,601	65.0%

<sup>\*</sup>If there are no data present, there were either no children seen in the child health clinic at the local health department or none of the children who were seen fell into this BMI-for-age range. Data prior to 2000 are based on child's county of residence rather than the service site.