4A. c. Percentage of children two to four years of age who received services from the health department and who, according to their Body Mass Index (BMI) for age and gender were obese (BMI at or above the 95th Percentile)

Numerator (Num) equals the number of children two to four years of age receiving services at local health department with BMI percentile less than 5th percentile (Source:NC Nutrition and Physical Activity Surveillance System).

County/District Health Department	CY03-CY05	CY06-CY08	CY09-CY11	% Change from first 3- year period to	CY2011			
	%	%	%	most recent 3- year period	Numerator	<u>Denominator</u>	<u>%</u>	
Alamance County	16.7%	15.9%	16.7%	-0.2%	331	1,954	16.9%	
Albemarle Regional Health Services	14.5%_	16.5%	15.6%	7.0%	239	1,496	16.0%	
Alexander County	<u>17.1%</u>	13.8%	13.7%	-20.0%	29	224	12.9%	
Anson County	13.3%	13.5%	17.3%	29.9%	95	395	24.1%	
Appalachian District	13.4%	15.4%	14.5%	8.5%	115	679	16.9%	
Beaufort County	16.9%	16.3%	16.1%	-4.5%	129	817	15.8%	
Bladen County	12.8%	16.0%	16.9%	31.6%	85	535	15.9%	
Brunswick County	14.9%	14.8%	17.4%	17.2%	190	1.085	17.5%	
Buncombe County	16.0%	16.5%	15.3%	-4.5%	287	1.906	15.1%	
Burke Countv	13.3%	16.2%	16.6%	25.1%	162	1,078	15.0%	
Cabarrus Countv	14.0%	17.6%	16.8%	20.2%	300	1,899	15.8%	
Caldwell County	15.2%	19.1%	17.3%	14.2%	139	848	16.4%	
Carteret Countv	17.6%	15.9%	14.0%	-20.6%	60	548	10.9%	
Caswell Countv	13.8%	12.5%	11.1%	-19.6%	24	194	12.4%	
Catawba Countv	16.9%	17.4%	16.0%	-5.2%	123	773	15.9%	
Chatham Countv	18.1%	19.3%	17.7%	-2.0%	206	1,153	17.9%	
Cherokee County	15.7%	11.2%	16.5%	5.3%	47	266	17.7%	
Clav Countv	19.8%	16.6%	15.9%	-19.5%	23	142	16.2%	
Cleveland Countv	11.2%	11.2%	15.4%	37.4%	155	1,008	15.4%	
Columbus County	13.1%	15.1%	19.2%	46.3%	223	964	23.1%	
Craven Countv	13.4%	13.5%	13.1%	-2.2%	181	1.452	12.5%	
Cumberland County	8.8%	7.4%	8.4%	-4.5%	574	6.259	9.2%	
Dare Countv	14.6%	17.9%	15.9%	8.6%	62	363	17.1%	
Davidson Countv	11.8%	14.0%	15.3%	29.7%	302	1.840	16.4%	
Davie Countv	17.8%	14.9%	15.4%	-13.7%	61	400	15.3%	
Duplin Countv	16.8%	19.0%	21.6%	29.2%	179	837	21.4%	
Durham Countv	17.6%	23.3%	19.5%	11.2%	478	2,500	19.1%	
Edgecombe County	16.0%	15.5%	13.4%	-16.2%	39	319	12.2%	
Forsvth Countv	14.5%_	15.3%	14.5%_	0.3%	713	5,054	14.1%	
North Carolina	14.6%	15.3%	15.6%	7.0%	16,240	103,716	15.7%	

^{*}If there are no data present, there were either no children seen in the child health clinic at the local health department or none of the children who were seen fell into this BMI-for-age range. Data prior to 2000 are based on child's county of residence rather than the service site.

4A. c. Percentage of children two to four years of age who received services from the health department and who, according to their Body Mass Index (BMI) for age and gender were obese (BMI at or above the 95th Percentile)

Numerator (Num) equals the number of children two to four years of age receiving services at local health department with BMI percentile less than 5th percentile (Source:NC Nutrition and Physical Activity Surveillance System).

County/District Health Department	CY03-CY05	CY06-CY08	CY09-CY11	% Change from first 3- year period to	CY2011		
	%	%	%	most recent 3- year period	Numerator	<u>Denominator</u>	<u>%</u>
Franklin County	14.2%	19.6%	17.2%	21.5%	102	601	17.0%
Gaston County	14.5%	13.8%	13.9%	-4.6%	229	1,438	15.9%
Graham County	13.8%	16.6%	14.1%	2.3%	23	175	13.1%
Granville-Vance District	15.7%	13.9%	13.8%	-12.0%	193	1.374	14.0%
Greene County	14.9%	14.9%	17.0%	13.6%	79	462	17.1%
Guilford County	12.5%	14.4%	15.5%	24.1%	667	4.155	16.1%
Halifax County	16.7%	14.4%	14.9%	-10.8%	129	838	15.4%
Harnett Countv	13.4%	14.3%	13.8%	2.7%	148	1.136	13.0%
Havwood County	13.7%	14.2%	14.7%	7.7%	67	540	12.4%
Henderson County	13.9%	15.5%	14.1%	2.0%	123	968	12.7%
Hertford County	15.2%	12.9%	12.7%	-16.3%	55	387	14.2%
Hoke County	16.4%	19.8%	17.8%	8.8%	114	692	16.5%
Hvde Countv	19.8%	11.2%	18.9%	-4.6%	14	81	17.3%
Iredell County	12.6%	14.3%	15.9%	26.4%	231	1,460	15.8%
Jackson County	17.5%	18.5%	16.4%	-6.2%	46	350	13.1%
Johnston County	16.7%	18.0%	15.8%	-5.7%	254	1,397	18.2%
Jones County	11.1%	10.5%	10.4%	-6.0%	5	45	11.1%
Lee County	17.6%	15.4%	17.1%	-2.6%	161	985	16.3%
Lenoir County	10.4%	11.1%	12.7%	22.3%	113	723	15.6%
Lincoln County	8.6%	9.8%	10.0%	15.9%	75	795	9.4%
Macon County	15.9%	13.9%	16.7%	4.9%	35	137	25.5%
Madison County	19.2%	14.4%	10.8%	-43.6%	10	69	14.5%
Martin-Tvrrell-Washington District	12.7%	14.2%	14.6%	14.7%	111	739	15.0%
Mecklenbura County	16.0%	16.6%	18.0%_	12.5%	1.445	7.934	18.2%
Montgomery County	18.2%	19.1%	16.8%	-7.5%	57	386	14.8%
Moore County	14.2%	14.6%	16.1%_	12.8%	123	752	16.4%
Nash County	13.8%	14.2%	16.5%	19.7%	173	1,076	16.1%
New Hanover County	14.9%	15.2%	13.7%	-8.1%	178	1,330	13.4%
Northampton County	16.2%_	18.0%	17.3%	6.7%	56	365	15.3%
North Carolina	14.6%	15.3%	15.6%	7.0%	16,240	103,716	15.7%

^{*}If there are no data present, there were either no children seen in the child health clinic at the local health department or none of the children who were seen fell into this BMI-for-age range. Data prior to 2000 are based on child's county of residence rather than the service site.

4A. c. Percentage of children two to four years of age who received services from the health department and who, according to their Body Mass Index (BMI) for age and gender were obese (BMI at or above the 95th Percentile)

Numerator (Num) equals the number of children two to four years of age receiving services at local health department with BMI percentile less than 5th percentile (Source:NC Nutrition and Physical Activity Surveillance System).

				% Change			
	CY03-CY05	CY06-CY08	CY09-CY11	from first 3-		CY2011	
County/District Health Department				<u>year period to</u> <u>most recent 3-</u>	Numerator	Denominator	0/
	%	%	%	<u>year period</u>	Numerator	Denominator	<u>%</u>
Onslow County	9.6%	11.1%	11.6%	20.8%	290	2,576	11.3%_
Orange County	19.1%	16.1%	14.8%	-22.6%	221	1,315	16.8%
Pamlico Countv	17.8%	14.9%	17.3%	-3.1%	26	155	16.8%
Pender County	13.8%	19.7%	22.5%	63.2%	104	488	21.3%
Person County	14.5%	15.8%	<u>17.1%</u>	18.1%	86	473	18.2%
Pitt County	19.3%	15.6%	17.7%	-8.1%	346	1.988	17.4%
Randolph County	22.4%	17.3%	16.1%	-27.9%	299	1.794	16.7%
Richmond County	8.1%	10.9%	11.3%	39.5%	111	808	13.7%
Robeson County	13.0%	15.4%	20.3%	56.0%	376	1.791	21.0%
Rockingham County	11.5%	16.0%	16.3%	42.0%	162	1,075	<u> 15.1%</u>
Rowan County	16.0%	14.7%	13.6%	-14.8%	217	1,591	13.6%
Rutherford-Polk-McDowell District	12.9%	13.4%	13.3%	2.9%	236	1,632	14.5%
Sampson County	17.6%	23.8%	20.9%	18.6%	311	1,340	23.2%
Scotland County	13.5%	12.6%	13.8%	1.9%	111	773	14.4%
Stanly County	12.8%_	11.2%	16.3%_	27.0%	93	604	15.4%
Stokes County	13.4%_	16.3%	14.1%_	4.8%	48	396	12.1%
Surry County	12.2%	15.0%	19.1%	56.6%	87	481	18.1%
Swain Countv	9.4%	13.7%	13.2%	39.5%	28	178	15.7%
Toe River District	15.7%_	12.7%	14.8%	-5.5%	78	561	13.9%
Transvlvania Countv	14.0%	14.0%	14.8%	5.1%	43	265	16.2%
Union County	14.2%	14.5%	19.6%	38.2%	296	1.906	15.5%
Wake County	16.2%	16.4%	16.4%	1.4%	1.347	8.575	15.7%
Warren County	10.2%	10.6%	10.9%	7.0%	39	330	11.8%
Wavne County	16.2%	16.3%	15.6%	-3.8%	241	1.488	16.2%
Wilkes County	18.7%	16.7%	17.5%	-6.2%	139	838	16.6%
Wilson County	18.2%	16.7%	17.1%	-6.1%	242	1.382	17.5%
Yadkin Countv	18.6%	16.9%	18.3%	-2.0%	96	535	17.9%
North Carolina	14.6%	15.3%	15.6%	7.0%	16,240	103,716	15.7%

^{*}If there are no data present, there were either no children seen in the child health clinic at the local health department or none of the children who were seen fell into this BMI-for-age range. Data prior to 2000 are based on child's county of residence rather than the service site.

4A. c. Percentage of children two to four years of age who received services from the health department and who, according to their Body Mass Index (BMI) for age and gender were Obese (BMI at or above the 95th percentile)

Numerator (Num) equals the number of children two to four years of age receiving services at local health department with BMI percentile less than 5th percentile (Source:NC Nutrition and Physical Activity Surveillance System).

County/District Health Department	CY03-CY05	CY06-CY08	CY09-CY11	% Change from first 3- year period to	CY2011			
	%	%	%	most recent 3- year period	Numerator <u>Denominator</u> <u>%</u>			
Alleghany	20.3%	24.5%	22.2%	9.1%				
Ashe	11.7%	16.0%	12.9%	10.9%				
Averv	17.2%	15.9%	12.8%	-25.5%	1817910.1%_			
Bertie	15.3%	17.1%	14.2%	-7.0%	41 322 12.7%			
Camden	7.9%_	12.9%	15.3%	93.0%	1611713.7%_			
Chowan	16.7%_	15.6%	18.2%	8.7%	45 223 20.2%			
Currituck	13.4%	16.0%	11.9%	-11.1%	2517814.0%_			
Gates	15.7%	17.0%	13.1%	-16.8%	3 43 7.0%			
Granville	16.8%	16.3%	16.4%	-1.9%	104 617 16.9%			
Martin	14.3%	15.5%	15.7%	9.8%	64 398 16.1%			
McDowell	12.4%	13.1%	11.4%	-8.3%	82 629 13.0%			
Mitchell	14.9%	11.7%	15.0%	0.6%	32 225 14.2%			
Pasquotank	13.8%	16.5%	15.2%	10.2%	77 471 16.3%			
Perguimans	17.4%	18.4%	21.4%	22.8%	32 142 22.5%			
Polk	15.8%	12.5%	16.1%	2.2%	<u>27</u> <u>159</u> <u>17.0%</u>			
Rutherford	12.8%	13.7%	14.2%	10.9%	127 844 15.0%			
Tvrrell	14.9%	20.3%	14.6%	-2.0%	11 118 9.3%			
Vance	15.0%	12.0%	11.6%	-22.7%	89 757 11.8%			
Washington	10.1%	9.8%	12.7%	26.1%	36 223 16.1%			
Watauga	12.2%	10.7%	11.8%	-2.9%	41 332 12.3%			
Yancev	15.2%	11.0%	16.2%	6.8%				

North Carolina	14.6%	15.3%	15.6%	7.0%	16,240	103,716	15.7%

^{*}If there are no data present, there were either no children seen in the child health clinic at the local health department or none of the children who were seen fell into this BMI-for-age range. Data prior to 2000 are based on child's county of residence rather than the service site.