

FY14 Agreement Addenda Section III: WIC Deliverable #4 - Promote Healthy Weights

4B. a. Percentage of women with live term singleton births who received WIC Program Services during pregnancy and who gained recommended weight according to the National Academy of Sciences-Institute of Medicine Recommended Total Weight Gain Ranges* During Pregnancy

Numerator equals the unduplicated count of women on WIC during pregnancy with live term singleton births and who gained weight within the IOM Recommended Weight gain during pregnancy

Denominator equals the unduplicated count of women with live term singleton births and who received WIC Program Services during the time period indicated

County/District Health Department	CY03-CY05			CY06-CY08			CY09-CY11			% Change from first 3-year period to most recent 3-year period	CY2011		
	%	%	%	%	%	%	Numerator #	Denominator #	%				
Alamance County	33.6%	32.7%	31.6%	-6.0%	272	978	27.8%						
Albemarle Regional Health Services	32.2%	31.8%	28.3%	-12.1%	151	632	23.9%						
Alexander County	27.0%	31.5%	31.0%	14.7%	68	189	36.0%						
Anson County	27.7%	28.5%	25.1%	-9.3%	52	220	23.6%						
Appalachian District	31.5%	31.9%	31.3%	-0.8%	117	357	32.8%						
Beaufort County	33.0%	33.5%	31.6%	-4.1%	83	321	25.9%						
Bladen County	29.1%	30.1%	25.8%	-11.3%	65	250	26.0%						
Brunswick County	31.8%	31.2%	29.4%	-7.7%	140	529	26.5%						
Buncombe County	34.3%	33.5%	30.6%	-10.7%	351	1,310	26.8%						
Burke County	34.0%	33.2%	29.8%	-12.3%	145	520	27.9%						
Cabarrus County	30.2%	30.1%	30.0%	-0.7%	317	1,132	28.0%						
Caldwell County	27.5%	30.2%	30.2%	9.9%	179	554	32.3%						
Carteret County	32.9%	32.6%	31.1%	-5.5%	110	348	31.6%						
Caswell County	34.0%	36.5%	27.4%	-19.6%	22	121	18.2%						
Catawba County	32.9%	31.4%	31.3%	-4.8%	313	997	31.4%						
Chatham County	30.1%	36.1%	31.7%	5.6%	88	292	30.1%						
Cherokee County	29.9%	27.4%	31.4%	4.8%	47	160	29.4%						
Clay County	26.3%	24.3%	30.6%	16.2%	19	55	34.5%						
Cleveland County	28.7%	28.7%	25.4%	-11.5%	173	752	23.0%						
Columbus County	28.4%	26.0%	28.4%	-0.2%	133	470	28.3%						
Craven County	30.0%	34.2%	29.6%	-1.4%	255	953	26.8%						
Cumberland County	32.3%	28.9%	28.3%	-12.4%	964	3,644	26.5%						
Dare County	37.5%	36.1%	35.9%	-4.3%	49	175	28.0%						
Davidson County	30.8%	33.6%	29.7%	-3.5%	299	1,042	28.7%						
Davie County	34.8%	29.7%	28.9%	-16.8%	39	205	19.0%						
Duplin County	34.2%	31.1%	27.5%	-19.5%	125	520	24.0%						
Durham County	36.4%	33.7%	30.1%	-17.3%	499	1,885	26.5%						
Edgecombe County	34.2%	28.8%	31.1%	-9.1%	133	491	27.1%						
Forsyth County	32.9%	32.4%	29.5%	-10.4%	691	2,475	27.9%						
Franklin County	34.9%	31.4%	31.0%	-11.2%	101	317	31.9%						
Gaston County	29.8%	29.0%	28.4%	-4.7%	440	1,498	29.4%						
North Carolina	31.7%	31.5%	30.1%	-5.2%	17,266	61,090	28.3%						

* Recommended total prenatal weight gain range by prepregnancy weight category is 28-40 lbs. for underweight women (BMI<18.5); 25-35 lbs. for normal weight women (BMI 18.5 to 24.9); 15-25 lbs. for overweight women (BMI 25 to 29.9); and 11-20 lbs. for obese women (BMI >= 30).

FY14 Agreement Addenda Section III: WIC Deliverable #4 - Promote Healthy Weights

4B. a. Percentage of women with live term singleton births who received WIC Program Services during pregnancy and who gained recommended weight according to the National Academy of Sciences-Institute of Medicine Recommended Total Weight Gain Ranges* During Pregnancy

Numerator equals the unduplicated count of women on WIC during pregnancy with live term singleton births and who gained weight within the IOM Recommended Weight gain during pregnancy

Denominator equals the unduplicated count of women with live term singleton births and who received WIC Program Services during the time period indicated

County/District Health Department	CY03-CY05	CY06-CY08	CY09-CY11	% Change from first 3-year period to most recent 3-year period	CY2011		
	%	%	%		Numerator #	Denominator #	%
Graham County	30.6%	29.9%	21.3%	-30.5%	13	76	17.1%
Granville-Vance District	29.0%	30.4%	31.5%	8.6%	221	721	30.7%
Greene County	31.3%	32.8%	32.1%	2.6%	49	166	29.5%
Guilford County	30.5%	31.2%	29.1%	-4.5%	724	2,578	28.1%
Halifax County	30.1%	30.7%	28.4%	-5.7%	115	425	27.1%
Harnett County	31.0%	30.0%	30.3%	-2.2%	239	829	28.8%
Haywood County	30.4%	31.6%	30.4%	0.0%	110	359	30.6%
Henderson County	36.5%	33.0%	31.6%	-13.2%	132	452	29.2%
Hertford County	29.7%	30.6%	28.2%	-5.2%	48	164	29.3%
Hoke County	31.9%	33.7%	28.1%	-11.6%	130	464	28.0%
Hyde County	25.8%	22.7%	39.7%	53.8%	8	26	30.8%
Iredell County	32.1%	30.2%	31.9%	-0.6%	255	871	29.3%
Jackson County	33.0%	29.1%	30.8%	-6.6%	78	264	29.5%
Johnston County	32.3%	37.4%	31.0%	-4.0%	300	1,067	28.1%
Jones County	34.0%	35.7%	25.2%	-25.8%	21	90	23.3%
Lee County	29.7%	30.8%	32.1%	8.3%	156	499	31.3%
Lenoir County	30.5%	27.2%	27.8%	-8.8%	133	470	28.3%
Lincoln County	29.6%	30.3%	30.8%	3.8%	116	423	27.4%
Macon County	32.2%	38.5%	31.7%	-1.3%	55	201	27.4%
Madison County	28.3%	33.1%	30.7%	8.4%	33	148	22.3%
Martin-Tyrrell-Washington District	29.4%	30.0%	28.9%	-1.6%	79	295	26.8%
Mecklenburg County	31.2%	33.1%	31.2%	0.0%	1,349	4,647	29.0%
Montgomery County	30.2%	35.0%	35.4%	17.3%	83	258	32.2%
Moore County	28.3%	27.4%	26.9%	-4.8%	122	446	27.4%
Nash County	30.6%	30.7%	30.1%	-1.6%	189	688	27.5%
New Hanover County	30.0%	31.2%	30.1%	0.4%	300	1,037	28.9%
Northampton County	25.3%	28.1%	28.6%	13.0%	46	149	30.9%
Onslow County	34.2%	32.4%	30.8%	-9.9%	674	2,323	29.0%
Orange County	31.8%	27.5%	34.0%	7.0%	153	471	32.5%
Pamlico County	29.6%	28.4%	31.9%	7.6%	23	76	30.3%
Pender County	31.4%	31.1%	29.7%	-5.4%	97	320	30.3%
North Carolina	31.7%	31.5%	30.1%	-5.2%	17,266	61,090	28.3%

* Recommended total prenatal weight gain range by prepregnancy weight category is 28-40 lbs. for underweight women (BMI<18.5); 25-35 lbs. for normal weight women (BMI 18.5 to 24.9); 15-25 lbs. for overweight women (BMI 25 to 29.9); and 11-20 lbs. for obese women (BMI >= 30).

FY14 Agreement Addenda Section III: WIC Deliverable #4 - Promote Healthy Weights

4B. a. Percentage of women with live term singleton births who received WIC Program Services during pregnancy and who gained recommended weight according to the National Academy of Sciences-Institute of Medicine Recommended Total Weight Gain Ranges* During Pregnancy

Numerator equals the unduplicated count of women on WIC during pregnancy with live term singleton births and who gained weight within the IOM Recommended Weight gain during pregnancy

Denominator equals the unduplicated count of women with live term singleton births and who received WIC Program Services during the time period indicated

County/District Health Department	CY03-CY05 %	CY06-CY08 %	CY09-CY11 %	% Change from first 3- year period to most recent 3- year period	CY2011		
					Numerator #	Denominator #	%
Person County	32.9%	33.6%	28.7%	-12.9%	64	257	24.9%
Pitt County	31.4%	32.3%	31.8%	1.3%	328	1,127	29.1%
Randolph County	29.9%	32.5%	32.2%	7.7%	282	947	29.8%
Richmond County	30.5%	27.7%	27.6%	-9.6%	114	449	25.4%
Robeson County	31.7%	30.1%	28.7%	-9.5%	372	1,352	27.5%
Rockingham County	30.6%	31.9%	29.4%	-4.1%	154	549	28.1%
Rowan County	31.4%	31.7%	30.6%	-2.8%	248	880	28.2%
Rutherford-Polk-McDowell District	33.4%	29.5%	28.9%	-13.4%	224	846	26.5%
Sampson County	31.9%	31.0%	29.6%	-7.3%	168	575	29.2%
Scotland County	29.1%	27.4%	24.8%	-14.8%	90	393	22.9%
Stanly County	33.0%	28.6%	29.0%	-12.3%	106	378	28.0%
Stokes County	32.2%	28.6%	28.0%	-13.1%	67	240	27.9%
Surry County	28.1%	29.5%	29.8%	6.0%	134	466	28.8%
Swain County	31.0%	27.3%	29.1%	-6.1%	32	141	22.7%
Toe River District	33.5%	32.7%	31.0%	-7.4%	90	290	31.0%
Transylvania County	29.0%	33.0%	30.1%	3.7%	47	163	28.8%
Union County	34.9%	38.1%	31.9%	-8.7%	290	983	29.5%
Wake County	33.3%	32.8%	31.1%	-6.5%	1,183	4,155	28.5%
Warren County	31.8%	26.8%	29.2%	-8.1%	35	117	29.9%
Wayne County	31.3%	31.5%	31.2%	-0.5%	317	1,036	30.6%
Wilkes County	30.0%	31.6%	30.5%	1.7%	116	422	27.5%
Wilson County	30.5%	32.4%	32.6%	6.7%	238	687	34.6%
Yadkin County	36.4%	33.3%	31.3%	-14.1%	76	242	31.4%

North Carolina	31.7%	31.5%	30.1%	-5.2%	17,266	61,090	28.3%
-----------------------	--------------	--------------	--------------	--------------	---------------	---------------	--------------

* Recommended total prenatal weight gain range by prepregnancy weight category is 28-40 lbs. for underweight women (BMI<18.5); 25-35 lbs. for normal weight women (BMI 18.5 to 24.9); 15-25 lbs. for overweight women (BMI 25 to 29.9); and 11-20 lbs. for obese women (BMI >= 30).

FY14 Agreement Addenda Section III: WIC Deliverable #4 - Promote Healthy Weights

4B. a. Percentage of women with live term singleton births who received WIC Program Services during pregnancy and who gained recommended weight according to the National Academy of Sciences-Institute of Medicine 2009 Recommended Total Weight Gain Ranges* During Pregnancy

Numerator equals the unduplicated count of women on WIC during pregnancy with live term singleton births and who gained weight within the IOM Recommended Weight gain during pregnancy

Denominator equals the unduplicated count of women with live term singleton births and who received WIC Program Services during the time period indicated

County/District Health Department	CY03-CY05 %	CY06-CY08 %	CY09-CY11 %	% Change from first 3- year period to most recent 3- year period	CY2011		
					Numerator #	Denominator #	%
Alleghany	34.6%	33.8%	31.2%	-9.8%	19	56	33.9%
Ashe	30.3%	31.4%	29.4%	-3.0%	42	122	34.4%
Avery	31.4%	30.1%	32.6%	3.8%	33	98	33.7%
Bertie	26.0%	29.0%	27.1%	4.6%	24	127	18.9%
Camden	36.8%	30.4%	26.0%	-29.4%	8	30	26.7%
Chowan	33.3%	34.7%	30.2%	-9.3%	28	103	27.2%
Currituck	36.8%	27.7%	30.7%	-16.4%	10	55	18.2%
Gates	28.8%	37.7%	32.4%	12.8%	12	28	42.9%
Granville	27.3%	31.0%	31.0%	13.3%	83	309	26.9%
Martin	31.5%	31.5%	27.8%	-11.6%	38	157	24.2%
McDowell	35.4%	29.5%	29.2%	-17.6%	86	291	29.6%
Mitchell	37.6%	35.6%	27.4%	-27.0%	28	92	30.4%
Pasquotank	34.0%	32.7%	27.4%	-19.3%	53	226	23.5%
Perquimans	35.3%	34.7%	27.6%	-21.7%	16	63	25.4%
Polk	33.3%	23.9%	30.9%	-7.3%	12	66	18.2%
Rutherford	31.7%	30.4%	28.4%	-10.5%	126	489	25.8%
Tyrrell	28.2%	33.3%	28.9%	2.6%	7	27	25.9%
Vance	31.5%	29.8%	32.0%	1.6%	138	412	33.5%
Washington	26.8%	26.7%	30.6%	14.2%	34	111	30.6%
Watauga	31.6%	31.8%	33.0%	4.4%	56	179	31.3%
Yancey	32.1%	32.9%	32.9%	2.7%	29	100	29.0%

North Carolina	31.7%	31.5%	30.1%	-5.2%	17,266	61,090	28.3%
-----------------------	--------------	--------------	--------------	--------------	---------------	---------------	--------------

* Recommended total prenatal weight gain range by prepregnancy weight category is 28-40 lbs. for underweight women (BMI<18.5); 25-35 lbs. for normal weight women (BMI 18.5 to 24.9); 15-25 lbs. for overweight women (BMI 25 to 29.9); and 11-20 lbs. for obese women (BMI >= 30).