4A. a. Percentage of children two to four years of age who received services from the health department and who, according to their Body Mass Index (BMI) for age and gender were at a healthy weight (BMI less than the 85th percentile but at or greater than the 5th percentile)

Numerator (Num) equals the number of children two to four years of age receiving services at local health department with BMI percentile of less than 85th but at or greater than the 5th percentile (Source:NC Nutrition and Physical Activity Surveillance System).

County/District Health Department	CY03-CY05 CY06-CY08		CY09-CY11	% Change from first 3- year period to	CY2011		
County/District Health Department	%	%	%	most recent 3- year period	<u>Numerator</u>	<u>Denominator</u>	<u>%</u>
Alamance County	62.5%	64.1%	62.7%	0.4%	1,187	1,954	60.7%
Albemarle Regional Health Services	65.2%	64.8%	63.9%	-2.1%	940	1,496	62.8%
Alexander County	61.2%	68.1%	65.3%	6.8%	143	224	63.8%
Anson County	66.9%	66.8%	59.6%	-10.9%	202	395	51.1%
Appalachian District	67.1%	66.4%	64.2%	-4.3%	425	679	62.6%
Beaufort County	64.6%	65.5%	64.0%	-1.0%	521	817	63.8%
Bladen County	66.6%	63.4%	62.9%	-5.5%	341	535	63.7%
Brunswick County	66.9%	64.6%	62.4%	-6.8%	664	1.085	61.2%
Buncombe County	63.6%	64.5%	65.4%	2.9%	1.258	1.906	66.0%
Burke County	66.6%	63.7%	63.2%	-5.2%	689	1,078	63.9%
Cabarrus County	64.8%	62.9%	62.2%	-4.0%	1,211	1,899	63.8%
Caldwell County	63.9%	58.8%	62.0%	-3.1%	528	848	62.3%
Carteret County	63.4%	65.1%	64.1%	1.1%	354	548	64.6%
Caswell County	69.7%	68.7%	69.4%	-0.3%	136	194	70.1%
Catawba County	61.7%	61.3%	63.7%	3.3%	499	773	64.6%
Chatham County	62.2%	61.1%	61.7%	-0.7%	690	1,153	59.8%
Cherokee County	65.6%	71.3%	64.1%	-2.2%	167	266	62.8%
Clav County	60.2%	65.6%	66.8%	11.1%	97	142	68.3%
Cleveland County	69.3%	69.8%	64.3%	-7.2%	653	1,008	64.8%
Columbus County	66.7%	64.9%	59.6%	-10.8%	547	964	56.7%
Craven County	66.4%	67.2%	66.4%	0.0%	973	1.452	67.0%
Cumberland County	72.7%	74.6%	70.8%	-2.6%	4.365	6.259	69.7%
Dare County	65.8%	63.5%	62.7%	-4.7%	218	363	60.1%
Davidson County	70.3%	67.9%	65.5%	-6.9%	1.202	1.840	65.3%
Davie County	64.0%	66.7%	66.1%	3.3%	254	400	63.5%
Duplin County	57.6%	57.9%	58.4%	1.5%	470	837	56.2%
Durham County	63.7%	56.5%	60.6%	-5.0%	1,494	2,500	59.8%
Edgecombe County	65.3%	66.1%	67.5%	3.3%	220	319	69.0%
Forsvth County	66.2%	65.1%	65.5%	-1.1%	3,314	5.054	65.6%
North Carolina	65.7%	65.1%	64.0%	-2.5%	66,293	103,716	63.9%

^{*}If there are no data present, there were either no children seen in the child health clinic at the local health department or none of the children who were seen fell into this BMI-for-age range. Data prior to 2000 are based on child's county of residence rather than the service site.

4A. a. Percentage of children two to four years of age who received services from the health department and who, according to their Body Mass Index (BMI) for age and gender were at a healthy weight (BMI less than the 85th percentile but at or greater than the 5th percentile)

Numerator (Num) equals the number of children two to four years of age receiving services at local health department with BMI percentile of less than 85th but at or greater than the 5th percentile (Source:NC Nutrition and Physical Activity Surveillance System).

County/District Health Department	CY03-CY05 CY06-CY08		CY09-CY11	% Change from first 3- year period to	CY2011			
County/District Health Department	%	%	%	most recent 3- year period	<u>Numerator</u>	<u>Denominator</u>	<u>%</u>	
Franklin County	65.5%	57.8%	60.8%	-7.2%	367	601	61.1%	
Gaston County	67.3%_	66.6%	66.0%	-2.1%	932	1,438	64.8%	
Graham Countv	68.8%_	65.0%	59.1%	-14.2%	103	175	58.9%	
Granville-Vance District	64.3%	65.9%	65.8%	2.3%	901	1.374	65.6%	
Greene County	65.4%	65.7%	62.0%	-5.1%	287	462	62.1%	
Guilford County	70.0%	66.1%	64.4%	-7.9%	2.676	4.155	64.4%	
Halifax County	65.4%	66.2%	64.9%	-0.8%	532	838	63.5%	
Harnett Countv	66.5%	66.4%	67.7%	1.8%	781	1.136	68.8%	
Havwood County	64.5%	65.5%	64.3%	-0.4%	357	540	66.1%	
Henderson County	66.5%	63.7%	63.8%	-4.0%	628	968	64.9%	
Hertford County	65.1%	66.5%	66.2%	1.7%	254	387	65.6%	
Hoke County	64.6%	60.0%	61.7%	-4.5%	446	692	64.5%	
Hvde Countv	62.5%	68.7%	62.6%	0.2%	56	81	69.1%	
Iredell County	69.4%	68.5%	64.0%	-7.8%	920	1,460	63.0%	
Jackson County	60.5%	59.6%	65.0%	7.5%	241	350	68.9%	
Johnston County	62.4%	61.6%	64.3%	3.0%	866	1,397	62.0%	
Jones County	68.3%	72.2%	67.8%	-0.8%	31	45	68.9%	
Lee County	63.6%	67.4%	63.8%	0.2%	636	985	64.6%	
Lenoir County	69.8%	68.9%	66.5%	-4.7%	458	723	63.3%	
Lincoln County	67.2%	72.8%	70.6%	5.0%	561	795	70.6%	
Macon County	64.7%	67.9%	60.8%	-6.0%	73	137	53.3%	
Madison County	62.3%	66.1%	67.2%	7.8%	43	69	62.3%	
Martin-Tvrrell-Washington District	65.7%	65.5%	66.5%	1.2%	491	739	66.4%	
Mecklenbura County	63.3%	62.8%	61.1%	-3.4%	4.826	7.934	60.8%	
Montgomery County	60.4%	61.7%	63.3%	4.7%	243	386	63.0%	
Moore County	65.3%	66.4%	63.7%	-2.5%	496	752	66.0%	
Nash County	65.2%	66.0%	62.7%	-3.8%	685	1,076	63.7%	
New Hanover County	65.8%	66.1%	65.7%	-0.2%	878	1,330	66.0%	
Northampton County	61.8%	61.4%	61.8%	0.1%	225	365	61.6%	
North Carolina	65.7%	65.1%	64.0%	-2.5%	66,293	103,716	63.9%	

^{*}If there are no data present, there were either no children seen in the child health clinic at the local health department or none of the children who were seen fell into this BMI-for-age range. Data prior to 2000 are based on child's county of residence rather than the service site.

4A. a. Percentage of children two to four years of age who received services from the health department and who, according to their Body Mass Index (BMI) for age and gender were at a healthy weight (BMI less than the 85th percentile but at or greater than the 5th percentile)

Numerator (Num) equals the number of children two to four years of age receiving services at local health department with BMI percentile of less than 85th but at or greater than the 5th percentile (Source:NC Nutrition and Physical Activity Surveillance System).

County/District Health Department	CY03-CY05	CY06-CY08	CY09-CY11	% Change from first 3- year period to	CY2011			
County/District Health Department	%	%	%	most recent 3- year period	Numerator	<u>Denominator</u>	<u>%</u>	
Onslow County	72.2%	70.1%	68.9%	-4.6%	1,793	2,576	69.6%	
Orange County	59.3%_	64.0%	65.1%	9.8%	845	1,315	64.3%	
Pamlico Countv	59.7%	65.3%	59.7%	0.0%	99	155	63.9%	
Pender County	66.1%	60.1%	55.3%	-16.4%	275	488	56.4%	
Person County	68.3%	63.8%	63.4%	-7.1%	312	473	66.0%	
Pitt Countv	59.7%	64.7%	61.9%	3.8%	1.212	1.988	61.0%	
Randolph County	56.7%	62.9%	64.3%	13.3%	1.134	1.794	63.2%	
Richmond County	68.9%	67.6%	68.1%	-1.2%	527	808	65.2%	
Robeson County	66.4%	65.1%	58.2%	-12.4%	1.058	1.791	59.1%	
Rockingham County	70.6%	65.3%	64.7%	-8.4%	714	1,075	66.4%	
Rowan County	64.1%	65.4%	67.1%	4.8%	1.053	1,591	66.2%	
Rutherford-Polk-McDowell District	67.9%	67.3%	66.3%	-2.4%	1.069	1,632	65.5%	
Sampson County	61.1%	54.3%	56.6%	-7.3%	712	1,340	53.1%	
Scotland County	67.0%	68.1%	66.2%	-1.1%	517	773	66.9%	
Stanly County	69.7%_	70.2%	63.5%	-8.9%	396	604	65.6%	
Stokes County	66.6%	62.3%	66.7%	0.1%	277	396	69.9%	
Surry County	68.2%_	65.3%	61.1%	-10.5%	298	481	62.0%	
Swain County	72.7%_	67.7%	66.4%	-8.7%	116	178	65.2%	
Toe River District	65.6%	68.1%	64.3%	-2.0%	364	561	64.9%	
Transvlvania Countv	67.0%	67.5%	64.8%	-3.3%	165	265	62.3%	
Union County	66.1%	66.5%	59.2%	-10.4%	1.223	1.906	64.2%	
Wake County	64.5%	63.8%	63.0%	-2.2%	5.476	8.575	63.9%	
Warren County	70.4%	70.9%	67.7%	-3.8%	220	330	66.7%	
Wavne County	64.1%	63.8%	65.4%	2.0%	939	1.488	63.1%	
Wilkes County	61.5%	63.7%	60.7%	-1.2%	519	838	61.9%	
Wilson County	62.4%	62.8%	62.7%	0.5%	889	1.382	64.3%	
Yadkin Countv	62.0%_	64.3%	63.0%	1.5%	336	535	62.8%	
North Carolina	65.7%	65.1%	64.0%	-2.5%	66,293	103,716	63.9%	

^{*}If there are no data present, there were either no children seen in the child health clinic at the local health department or none of the children who were seen fell into this BMI-for-age range. Data prior to 2000 are based on child's county of residence rather than the service site.

4A. a. Percentage of children two to four years of age who received services from the health department and who, according to their Body Mass Index (BMI) for age and gender were at a healthy weight (BMI less than the 85th percentile but at or greater than the 5th percentile)

Numerator (Num) equals the number of children two to four years of age receiving services at local health department with BMI percentile of less than 85th but at or greater than the 5th percentile (Source:NC Nutrition and Physical Activity Surveillance System).

		% Change				
County/District Health Department	CY03-CY05	CY06-CY08	CY09-CY11	from first 3- year period to	CY2011	
	%	%	%	most recent 3- year period	Numerator <u>Denominator</u> <u>%</u>	
Alleghany	59.8%	55.3%_	55.1%_	-7.8%	84 169 49.7%	
Ashe	70.9%	64.5%	66.4%	-6.4%	120 178 67.4%	
Averv	65.8%	62.4%	66.5%	1.1%	124 179 69.3%	
Bertie	64.3%	63.1%	64.9%	1.0%	213 322 66.1%	
Camden	68.6%	69.7%	66.1%	-3.7%	83 117 70.9%	
Chowan	63.7%	65.6%	61.2%	-3.9%	132 223 59.2%	
Currituck	67.0%	65.5%	68.3%	2.0%	109 178 61.2%	
Gates	63.7%_	65.1%	64.3%	0.9%	27 43 62.8%	
Granville	61.2%	63.0%	65.6%	7.2%	398 617 64.5%	
Martin	64.4%	64.4%	65.3%	1.4%	263 398 66.1%	
McDowell	68.6%_	68.0%	68.3%	-0.4%	423 629 67.2%	
Mitchell	69.1%_	71.2%	64.4%	-6.9%	144 225 64.0%	
Pasquotank	66.2%	65.1%	64.0%	-3.4%	300 471 63.7%	
Perguimans	62.9%_	62.3%	58.1%	-7.6%	76 142 53.5%	
Polk	64.2%	69.6%	64.9%	1.1%	101 159 63.5%	
Rutherford	68.2%	66.3%	65.1%	-4.5%	545 844 64.6%	
Tvrrell	63.3%	62.6%	69.4%	9.6%	<u>89</u> <u>118</u> <u>75.4%</u>	
Vance	66.6%	68.3%	66.1%	-0.8%	503 757 66.4%	
Washington	68.0%	68.1%	66.9%	-1.7%	139 223 62.3%	
Watauga	66.2%	73.3%	67.1%	1.3%	221 332 66.6%	
Yancev	62.5%	70.3%	62.3%	-0.3%	96 157 61.1%	

North Carolina	65.7%	65.1%	64.0%	-2.5%	66,293	103,716	63.9%

^{*}If there are no data present, there were either no children seen in the child health clinic at the local health department or none of the children who were seen fell into this BMI-for-age range. Data prior to 2000 are based on child's county of residence rather than the service site.