4A. d. Percentage of children two to four years of age who received services from the health department and who, according to their Body Mass Index (BMI) for age and gender were underweight (BMI less than the 5th percentile)

Numerator (Num) equals the number of children two to four years of age receiving services at local health department with BMI percentile less than 5th percentile (Source:NC Nutrition and Physical Activity Surveillance System).

County/District Health Department	CY04-CY06	CY07-CY09	CY10-CY12 Washington		CY2012			
ounty/bisalist Health Department	%	%	%	most recent 3- year period	Numerator	<u>Denominator</u>	<u>%</u>	
Alamance County	1.8%	2.3%	3.2%	82.8%	67	1.873	3.6%	
Albemarle Regional Health Services	5.0%	3.8%	8.4%	66.0%	344	3.579	9.6%	
Alexander County	4.3%	3.7%	5.1%	17.4%	12	235	5.1%	
Anson County	7.7%	10.4%	4.3%	-44.0%	15	416	3.6%	
Appalachian District	4.3%	3.6%	4.6%	8.1%	53	859	6.2%	
Beaufort County	2.6%	2.9%	3.9%	53.8%	34	787	4.3%	
Bladen Countv	5.8%	4.0%	5.6%	-3.7%	61_	692	8.8%	
Brunswick County	2.5%	2.8%	4.3%	68.0%	64	1,064	6.0%	
Buncombe County	3.4%	2.4%	3.7%	6.7%	85	2.115	4.0%	
Burke Countv	3.2%	2.5%	3.3%	1.0%	36	1.026	3.5%	
Cabarrus Countv	3.7%	2.3%	6.9%	90.1%	296	2.196	13.5%	
Caldwell County	3.0%	2.3%	3.6%	19.0%	29	720	4.0%	
Carteret County	3.1%	2.5%	5.6%	80.4%	19	413	4.6%	
Caswell County	2.5%	4.3%	4.2%	65.6%	19	289	6.6%	
Catawba County	3.0%	1.9%	3.9%	28.8%	47	1,167	4.0%	
Chatham County	2.9%	2.6%	3.8%	28.0%	45	1,080	4.2%	
Cherokee County	4.6%	2.5%	4.5%	-1.7%	10	258	3.9%	
Clav County	4.6%	3.6%	2.1%	-53.9%	5	195	2.6%	
Cleveland County	6.9%	7.3%	6.0%	-13.3%	99	1,257	7.9%	
Columbus County	4.5%	4.8%	3.8%	-14.4%	42	1.078	3.9%	
Craven County	4.0%	4.0%	6.3%	57.4%	123	1.604	7.7%	
Cumberland County	6.9%	9.0%	9.8%	41.8%	625	5.984	10.4%	
Dare County	2.3%	2.7%	2.4%	6.9%	8	315	2.5%	
Davidson County	4.2%	2.6%	3.5%	-16.2%	60	1.685	3.6%	
Davie County		2.6%	3.3%	74.8%	20	450	4.4%	
Duplin County	11.1%	4.3%	5.2%	-53.2%	94	1.244	7.6%	
Durham County	4.5%	3.6%	4.5%	0.3%	147	2.333	6.3%	
Edgecombe County	3.2%	3.3%	6.0%	87.6%	24	367	6.5%	
Forsyth County	3.3%	3.0%	3.7%	12.5%	191	4.805	4.0%	
Franklin County	3.6%	2.8%	11.0%	203.7%	190	956	19.9%	
Gaston County	3.6%	3.3%	5.0%	40.1%	130	2.238	5.8%	
Graham County	3.8%	2.4%	4.2%	10.0%	12	245	4.9%	
Granville-Vance District	4.2%	5.6%	7.5%	78.2%	99	1,343	7.4%	
Greene County	3.9%	2.4%	5.1%	31.7%	42	525	8.0%	
Guilford County	3.8%	3.1%	4.6%	18.3%	248	5,328	4.7%	
North Carolina	4.2%		5.2%	23.7%	7,336	112,204	6.5%	

^{*}If there are no data present, there were either no children seen in the child health clinic at the local health department or none of the children who were seen fell into this BMI-for-age range. Data prior to 2000 are based on child's county of residence rather than the service site.

4A. d. Percentage of children two to four years of age who received services from the health department and who, according to their Body Mass Index (BMI) for age and gender were underweight (BMI less than the 5th percentile)

Numerator (Num) equals the number of children two to four years of age receiving services at local health department with BMI percentile less than 5th percentile (Source:NC Nutrition and Physical Activity Surveillance System).

County/District Health Department	CY04-CY06	CY07-CY09	CY10-CY12	<u>year period to</u>		CY2012			
osanty, product realth population.	%	%	%	most recent 3- year period	<u>Numerator</u>	<u>Denominator</u>	<u>%</u>		
Halifax County	4.1%	4.3%	5.3%	30.0%	64	904	7.1%		
Harnett County	3.5%	3.9%	6.5%	86.8%	92	1.283	7.2%		
Havwood County	3.8%	4.0%	3.7%	-0.6%	21	557	3.8%		
Henderson County	2.7%	2.4%	5.0%	84.3%	96	1.317	7.3%		
Hertford County	3.9%	5.5%	6.5%	68.3%	33	414	8.0%		
Hoke County	3.4%	2.7%	4.2%	26.2%	52	807	6.4%		
Hvde County	4.9%	10.5%	4.6%	-6.0%	5	71_	7.0%		
Iredell County	3.3%	2.7%	3.9%	15.7%	84	1,494	5.6%		
Jackson County	2.9%	3.2%	3.4%	19.4%	13_	398	3.3%		
Johnston County	3.5%	3.1%	4.8%	36.4%	45	1,407	3.2%		
Jones County	3.2%	3.3%	6.4%	100.2%	9	167	5.4%		
Lee County	2.6%	2.2%	3.2%	21.7%	33	928	3.6%		
Lenoir County	9.6%	9.3%	6.3%	-34.5%	57	766	7.4%		
Lincoln County	14.4%	7.3%	10.0%	-30.5%	91	841	10.8%		
Macon County	2.2%	2.0%	3.5%	56.8%	15	419	3.6%		
Madison County	3.0%	4.2%	8.4%	182.7%	16	222	7.2%		
Martin-Tyrrell-Washington District	7.8%	7.1%	6.9%	-10.8%	78	1,031	7.6%		
Mecklenbura County	3.5%	3.0%	3.7%	5.4%	329	7.162	4.6%		
Montgomery County	3.2%	1.8%	4.0%	22.8%	26	546	4.8%		
Moore County	3.5%	3.2%	3.7%	8.4%	29	699	4.1%		
Nash County	7.3%	4.6%	5.4%	-25.4%	77	1.275	6.0%		
New Hanover County	3.4%	2.3%	5.4%	61.8%	66	1.232	5.4%		
Northampton County	4.8%	5.3%	4.6%	-4.2%	25	486	5.1%		
Onslow County	3.7%	2.6%	4.1%	12.1%	106	2.344	4.5%		
Orange County	2.8%	4.5%	5.4%	95.6%	108	1.498	7.2%		
Pamlico County	1.6%	3.7%	5.0%	207.9%	14	172	8.1%		
Pender County	5.9%	2.0%	5.1%	-14.1%	49	723	6.8%		
Person County	2.9%	3.8%	3.6%	25.0%	20	502	4.0%		
Pitt County	2.7%	2.7%	3.9%	42.7%	95	1.706	5.6%		
Randolph County	2.5%	2.9%	4.1%	61.8%	76	1.601	4.7%		
Richmond County	15.4%	8.5%	7.6%	-50.8%	40	899	4.4%		
Robeson County	6.1%	3.2%	3.0%	-50.4%	60	2.019	3.0%		
Rockingham County	6.1%	2.0%	4.0%	-33.5%	46	1,025	4.5%		
Rowan County	2.0%	4.5%	4.9%	141.5%	69	1,357	5.1%		
Rutherford-Polk-McDowell District	4.4%	3.8%	5.3%	22.4%	77	1,630	4.7%		
North Carolina	4.2%		5.2%	23.7%	7,336	112,204	6.5%		

^{*}If there are no data present, there were either no children seen in the child health clinic at the local health department or none of the children who were seen fell into this BMI-for-age range. Data prior to 2000 are based on child's county of residence rather than the service site.

4A. d. Percentage of children two to four years of age who received services from the health department and who, according to their Body Mass Index (BMI) for age and gender were underweight (BMI less than the 5th percentile)

Numerator (Num) equals the number of children two to four years of age receiving services at local health department with BMI percentile less than 5th percentile (Source:NC Nutrition and Physical Activity Surveillance System).

County/District Health Department	CY04-CY06	CY07-CY09	CY10-CY12	% Change from first 3- year period to		CY2012	
	%	%	%	most recent 3- year period	<u>Numerator</u>	<u>Denominator</u>	<u>%</u>
Sampson County	4.6%	2.3%	3.2%	-30.2%	39	1.216	3.2%
Scotland County	5.2%	4.4%	5.7%	10.7%	44	749	5.9%
Stanly County	6.0%	4.5%	4.7%	-22.1%	23	583	3.9%
Stokes County	3.5%	2.7%	3.8%	10.5%	18	381	4.7%
Surry County	5.2%	2.8%	8.6%	66.2%	127	962	13.2%
Swain County	2.2%	2.0%	5.3%	143.2%	11	187	5.9%
Toe River District	3.0%	3.7%	5.9%	97.7%	75	818	9.2%
Transvlvania Countv	2.9%	2.9%	3.1%	5.9%	5	273	1.8%_
Union County	2.9%	3.2%	9.0%	206.3%	449	2.194	20.5%
Wake County	2.9%	2.3%	5.0%	71.0%	686	9,381	7.3%
Warren County	6.7%	8.8%	10.6%	58.4%	59	427	13.8%
Wavne Countv	2.0%	3.0%	4.6%	122.4%	83	1,534	5.4%
Wilkes County	2.0%	2.0%	4.4%	116.6%	37	788	4.7%
Wilson County	2.5%	2.7%	5.2%	104.8%	106	1,474	7.2%
Yadkin Countv	3.4%	1.7%	5.6%	65.7%	63	614	10.3%

North Carolina	4.2%	3.6%	5.2%	23.7%	7,336	112,204	6.5%

^{*}If there are no data present, there were either no children seen in the child health clinic at the local health department or none of the children who were seen fell into this BMI-for-age range. Data prior to 2000 are based on child's county of residence rather than the service site.

4A. d. Percentage of children two to four years of age who received services from the health department and who, according to their Body Mass Index (BMI) for age and gender were underweight (BMI less than the 5th percentile)

Numerator (Num) equals the number of children two to four years of age receiving services at local health department with BMI percentile less than 5th percentile (Source:NC Nutrition and Physical Activity Surveillance System).

County/District Health Department	CY04-CY06	CY07-CY09	CY10-CY12	% Change from first 3- year period to	CY2012			
	%	%	%	most recent 3- year period	<u>Numerator</u>	<u>Denominator</u>	<u>%</u>	
Alleghanv	1.2%	1.9%	3.6%	200.2%	14	216	6.5%	
Ashe	6.0%	5.3%	5.6%	-6.0%	20	272	7.4%	
Averv	1.8%	3.2%	7.1%	281.7%	24	258	9.3%	
Bertie	7.3%	6.0%	9.2%	26.5%	60	630	9.5%	
Camden	14.6%	9.4%	9.2%	-36.7%	45	419	10.7%	
Chowan	2.2%	3.4%	8.9%	299.8%	52	508	10.2%	
Currituck	3.5%	2.2%	7.0%	102.9%	43	478	9.0%	
Gates	3.2%	3.7%	11.3%	250.7%	40	350	11.4%	
Granville	3.5%	2.7%	4.4%	26.2%	31	662	4.7%	
Martin	5.9%	4.7%	5.6%	-5.2%	30	458	6.6%	
McDowell	4.6%	3.8%	6.1%	32.2%	29	637	4.6%	
Mitchell	4.6%	3.8%	5.8%	26.2%	25	259	9.7%	
Pasquotank	4.4%	2.9%	7.3%	67.1%	66	757	8.7%	
Perquimans	2.4%	0.7%	7.6%	210.6%	38	437	8.7%	
Polk	2.1%	2.1%	2.2%	4.6%	5	206	2.4%	
Rutherford	4.6%	4.0%	5.5%	17.6%	43	787	5.5%	
Tvrrell	3.1%	3.1%	6.6%	113.5%	20	235	8.5%	
Vance	4.7%	8.1%	10.2%	116.8%	68	681	10.0%	
Washington	11.8%	12.0%	9.3%	-21.6%	28	338	8.3%	
Watauga	3.8%	2.8%	4.4%	16.3%	19	371	5.1%	
Yancev	2.6%	4.1%	5.1%	98.6%	26	301	8.6%	

North Carolina	4.2%	3.6%	5.2%	23.7%	7,336	112,204	6.5%

^{*}If there are no data present, there were either no children seen in the child health clinic at the local health department or none of the children who were seen fell into this BMI-for-age range. Data prior to 2000 are based on child's county of residence rather than the service site.