4A. b. Percentage of children two to four years of age who received services from the health department and who, according to their Body Mass Index (BMI) for age and gender were overweight (BMI at of above the 85th Percentile but less than the 95th Percentile)

Numerator (Num) equals the number of children two to four years of age receiving services at local health department with BMI percentile at or greater than 85th percentile (Source:NC Nutrition and Physical Activity Surveillance System).

County/District Health Department	CY04-CY06	CY07-CY09	CY10-CY12	year period to		CY2012			
ounty/bisulet riealur bepartnent	%	%	%	most recent 3- year period	Numerator	<u>Denominator</u>	<u>%</u>		
Alamance County	19.0%	15.9%	18.1%	-4.5%	315	1873	16.8%		
Albemarle Regional Health Services	14.8%	14.6%	13.6%	-8.1%	453	3579	12.7%		
Alexander County	16.0%	15.1%	15.4%	-3.6%	39	235	16.6%		
Anson County	12.1%	10.0%	18.0%	48.6%	76	416	18.3%		
Appalachian District	14.2%	15.7%	16.6%	17.3%	125	859	14.6%		
Beaufort County	15.8%	16.0%	15.7%	-0.9%	113	787	14.4%		
Bladen Countv		16.6%	16.2%	12.2%	103	692	14.9%		
Brunswick County	16.1%	17.4%	17.3%	7.5%	184	1064	17.3%		
Buncombe County	17.3%	16.0%	16.1%	-6.9%	333	2115	15.7%		
Burke County	17.0%	17.8%	16.7%	-1.4%	165	1026	16.1%		
Cabarrus Countv	16.8%	17.7%	15.6%_	-7.5%	263	2196	12.0%		
Caldwell County	18.0%	20.4%	17.9%	-0.5%	131	720	18.2%		
Carteret County	17.1%	15.3%	16.5%	-3.5%	64	413	15.5%		
Caswell County	15.5%	15.0%	16.1%	4.2%	50	289	17.3%		
Catawba County	18.6%	19.0%	17.1%	-7.9%	208	1167	17.8%		
Chatham County	18.2%	15.7%	17.0%	-6.4%	172	1080	15.9%		
Cherokee County	14.7%	15.3%	13.6%	-7.8%	32	258	12.4%		
Clav Countv	15.4%	14.0%	15.1%	-1.9%	27	195	13.8%		
Cleveland County	12.1%	12.7%	14.3%	18.9%	151	1257	12.0%		
Columbus County	15.9%	15.8%	16.5%	3.5%	165	1078	15.3%		
Craven County		15.3%	15.4%	-7.5%	257	1604	16.0%		
	11.6%	9.3%	11.7%	1.1%	673	5984	11.2%		
Dare County	18.4%	15.1%	20.6%	12.0%	67	315	21.3%		
Davidson County		15.4%	16.3%	17.5%	274	1685	16.3%		
Davie County		15.3%	15.0%	-4.0%	54	450	12.0%		
	13.6%	17.4%	16.0%	17.9%	185	1244	14.9%		
Durham County	15.3%	15.7%	16.2%	6.4%	351	2333	15.0%		
Edgecombe County	14.6%	15.4%	12.6%	-13.9%	40	367	10.9%		
Forsyth County	16.0%	17.1%	16.2%	1.7%	769	4805	16.0%		
Franklin County	16.7%	20.5%	16.6%	-0.4%	146	956	15.3%		
Gaston County	15.4%	16.0%	14.3%	-7.2%	275	2238	12.3%		
Graham County	13.7%	17.4%	19.1%	39.8%	31	245	12.7%		
Granville-Vance District	15.8%	15.0%	12.7%	-19.3%	172	1343	12.8%		
Greene County	14.9%	16.9%	18.0%	21.0%	89	525	17.0%		
Guilford County	14.5%	16.8%	15.2%	5.4%	783	5328	14.7%		
North Carolina	15.6%		15.7%	1.0%	16,625	112,204	14.8%		

^{*}If there are no data present, there were either no children seen in the child health clinic at the local health department or none of the children who were seen fell into this BMI-for-age range. Data prior to 2000 are based on child's county of residence rather than the service site.

4A. b. Percentage of children two to four years of age who received services from the health department and who, according to their Body Mass Index (BMI) for age and gender were overweight (BMI at of above the 85th Percentile but less than the 95th Percentile)

Numerator (Num) equals the number of children two to four years of age receiving services at local health department with BMI percentile at or greater than 85th percentile (Source:NC Nutrition and Physical Activity Surveillance System).

County/District Health Department	CY04-CY06	CY07-CY09	CY10-CY12	<u>% Change</u> <u>from first 3-</u> year period to		CY2012			
Sounty/District Health Department	%	%	%	most recent 3- year period	Numerator	<u>Denominator</u>	<u>%</u>		
Halifax County	14.6%_	15.0%	16.4%	12.4%	149	904	16.5%		
Harnett County	16.5%_	15.4%	13.2%	-19.8%	198	1283	15.4%		
Havwood County	17.8%	16.2%	18.0%	1.2%	97	557	17.4%		
Henderson County	17.8%	18.3%	17.6%	-1.1%	212	1317	16.1%		
Hertford County	15.9%	13.6%	15.8%	-0.8%	62	414	15.0%		
Hoke County	14.9%	18.5%	16.4%	9.9%	115	807	14.3%		
Hvde County	13.5%	10.5%	14.3%	5.6%	11	71	15.5%		
Iredell County	14.6%	14.9%	16.9%	15.8%	235	1494	15.7%		
Jackson County	18.8%	18.4%	15.1%	-19.5%	56	398	14.1%		
Johnston County	17.2%	17.0%	14.5%	-16.1%	215	1407	15.3%		
Jones County	14.9%	14.4%	15.9%_	7.2%	26	167	15.6%		
Lee County	14.8%	15.7%	15.6%	5.8%	136	928	14.7%		
Lenoir County	10.3%	10.8%	15.1%	46.0%	108	766	14.1%		
Lincoln County	7.7%	10.1%	10.6%	38.1%	89	841	10.6%		
Macon County	18.1%	16.9%	17.2%	-4.8%	70	419	16.7%		
Madison County	16.3%	15.0%	13.4%	-17.4%	27	222	12.2%		
Martin-Tyrrell-Washington District	13.2%	12.9%	13.4%	1.4%	155	1031	15.0%		
Mecklenbura County	17.5%	17.4%	17.2%	-1.6%	1151	7162	16.1%		
Montgomery County	17.7%	16.7%	16.9%	-4.9%	84	546	15.4%		
Moore County	16.9%	15.4%	16.6%	-1.4%	112	699	16.0%		
Nash County	13.7%	15.6%	15.0%	9.5%	182	1275	14.3%		
	15.2%	17.3%	15.0%	-1.4%	183	1232	14.9%		
Northampton County	17.4%	14.2%	17.6%	1.5%	93	486	19.1%		
	14.7%	15.9%	15.8%	8.1%	358	2344	15.3%		
Orange County		15.3%	15.4%	-19.2%	232	1498	15.5%		
Pamlico County	19.6%	18.1%	17.5%	-11.1%	27	172	15.7%		
Pender County	14.3%	18.5%	18.5%	29.7%	124	723	17.2%		
Person County	15.7%	17.7%	15.4%	-1.6%	83	502	16.5%		
Pitt County	16.7%	16.7%	16.6%	-0.4%	237	1706	13.9%		
Randolph County	18.2%	16.0%	16.0%	-12.0%	243	1601	15.2%		
Richmond County	8.2%	11.1%	12.2%	49.4%	114	899	12.7%		
Robeson County	13.8%	16.4%	19.1%	38.3%	370	2019	18.3%		
Rockingham County	12.4%	16.9%	14.9%	19.8%	144	1025	14.0%		
Rowan County	18.5%	14.1%	14.9%	-19.7%	204	1357	15.0%		
Rutherford-Polk-McDowell District	14.9%	16.0%	14.8%	-0.6%	236	1630	14.5%		
North Carolina	15.6%		15.7%	1.0%	16,625	112,204	14.8%		

^{*}If there are no data present, there were either no children seen in the child health clinic at the local health department or none of the children who were seen fell into this BMI-for-age range. Data prior to 2000 are based on child's county of residence rather than the service site.

4A. b. Percentage of children two to four years of age who received services from the health department and who, according to their Body Mass Index (BMI) for age and gender were overweight (BMI at of above the 85th Percentile but less than the 95th Percentile)

Numerator (Num) equals the number of children two to four years of age receiving services at local health department with BMI percentile at or greater than 85th percentile (Source:NC Nutrition and Physical Activity Surveillance System).

County/District Health Department	CY04-CY06 %	CY07-CY09 %	CY10-CY12 %	% Change from first 3- year period to most recent 3- year period	<u>Numerator</u>	CY2012	<u>%</u>
				<u> </u>			
Sampson County	16.5%	19.8%	18.5%	12.0%	194	1216	16.0%
Scotland County	12.9%	16.1%	12.9%	0.0%	78	749	10.4%
Stanly County	12.0%	14.6%	15.3%	27.3%	94	583	16.1%
Stokes County	16.8%	18.4%	15.8%	-5.8%	64	381	16.8%
Surry County	14.1%	17.4%	14.4%	1.9%	125	962	13.0%
Swain County	14.3%	17.8%	15.8%	10.2%	28	187	15.0%
Toe River District	15.0%	16.1%	15.7%	4.9%	115	818	14.1%
Transvlvania Countv	16.2%	15.5%	17.9%	10.6%	54	273	19.8%
Union County	16.6%	16.0%	16.9%	2.1%	282	2194	12.9%
Wake County	16.6%	17.6%	16.2%	-2.4%	1378	9381	14.7%
Warren County	11.5%	11.1%_	12.6%	9.3%	55	427	12.9%
Wavne Countv	18.0%	15.9%_	14.6%	-19.2%	208	1534	13.6%
Wilkes County	17.9%	17.9%	17.8%	-0.7%	140	788	17.8%
Wilson County	17.6%	18.3%	15.5%	-11.8%	233	1474	15.8%
Yadkin County	16.7%	15.3%	<u>17.1%</u>	2.3%	104	614	16.9%

North Carolina	15.6%	15.9%	15.7%	1.0%	16,625	112,204	14.8%

^{*}If there are no data present, there were either no children seen in the child health clinic at the local health department or none of the children who were seen fell into this BMI-for-age range. Data prior to 2000 are based on child's county of residence rather than the service site.

4A. b. Percentage of children two to four years of age who received services from the health department and who, according to their Body Mass Index (BMI) for age and gender were overweight (BMI at or greater than the 85th percentile but less than the 95th Percentile)

Numerator (Num) equals the number of children two to four years of age receiving services at local health department with BMI percentile at or greater than 85th percentile (Source:NC Nutrition and Physical Activity Surveillance System).

County/District Health Department	CY04-CY06	CY07-CY09	CY10-CY12	% Change from first 3- year period to	CY2012			
	%	%	%	most recent 3- year period	<u>Numerator</u>	<u>Denominator</u>	<u>%</u>	
Alleghany	19.2%	19.1%	18.0%_	-6.0%	28	216	13.0%	
Ashe	11.7%	16.4%	14.7%	25.2%	38	272	14.0%	
Averv	16.1%	19.4%	14.1%	-12.5%	37	258	14.3%	
Bertie	13.2%	13.3%	11.6%	-12.2%	68	630	10.8%	
Camden	6.0%	10.4%	11.1%	84.4%	48	419	11.5%	
Chowan	17.6%	14.2%	13.9%	-21.3%	69	508	_13.6%	
Currituck	17.6%	14.3%	15.1%	-14.4%	66	478	13.8%	
Gates	15.8%	15.5%	12.6%	-20.3%	43	350	12.3%	
Granville	17.3%	17.8%	14.0%	-19.1%	91	662	13.7%	
Martin	15.3%	15.0%	14.6%	-4.1%	74	458	16.2%	
McDowell	14.5%	15.2%	14.2%	-2.1%	94	637	14.8%	
Mitchell	11.0%	13.0%	16.5%	49.3%	40	259	15.4%	
Pasquotank	14.8%	15.9%	14.7%	-0.3%	101_	757	13.3%	
Perguimans	16.9%	16.4%	15.4%	-9.3%	58	437	13.3%	
Polk	16.5%	16.9%	15.4%	-6.2%	28	206	13.6%	
Rutherford	14.8%	16.3%	15.1%	1.7%	114	787	14.5%	
Tvrrell	15.6%	13.5%	12.5%	-19.9%	31	235	13.2%	
Vance	14.6%	12.7%	11.6%	-21.0%	81	681	_11.9%_	
Washington	9.9%	9.8%	12.0%	21.4%	50	338	14.8%	
Watauga	14.6%	13.5%	17.3%	18.4%	59	371	15.9%	
Yancev	17.3%	15.7%	16.2%	-6.0%	38	301	12.6%	

North Carolina	15.6%	15.9%	15.7%	1.0%	16,625	112,204	14.8%

^{*}If there are no data present, there were either no children seen in the child health clinic at the local health department or none of the children who were seen fell into this BMI-for-age range. Data prior to 2000 are based on child's county of residence rather than the service site.