



Public Health
HEALTH AND HUMAN SERVICES


RICHARD O. BRAJER
Secretary

DANIEL STALEY
Director, Division of Public Health

July 6, 2016

CACFP 16-07

Memorandum

To: Institutions Participating in the Child and Adult Care Food Program
From: Arnette Cowan, Head 
Special Nutrition Programs
Subject: Updated Guidance: Contracting with Food Service Management Companies

Attached is the updated guidance for school food authorities (SFA) and Institutions contracting with food service management companies (FSMC). The updated guidance for SFAs and Institutions includes responsibilities and considerations when using an FSMC and addresses program oversight and monitoring. Additionally, this guidance discusses factors to consider when choosing procurement methods, how to develop solicitation documents, and characteristics of comprehensive agreements to include meal service and financial provisions.

New appendices include worksheets, sample instructions, and checklists designed to assist SFAs and Institutions when contracting with FSMCs. Changes and additions to the guidance have been highlighted in yellow.

c: SNP Staff



Best Practices

Many of the best practices are recommendations from the Dietary Guidelines and the National Academy of Medicine that FNS did not adopt as requirements for reasons of cost or complexity. As the Dietary Guidelines and nutrition science evolve, FNS will adjust the best practices to support the CACFP's nutrition and wellness goals.

FNS would like to emphasize that these best practices are optional. The best practices are suggestions only and are not required to be followed in order to receive reimbursement for the meal. The best practices will not be monitored and non-compliance with them cannot result in a meal disallowance or a serious deficiency finding. FNS highly encourages implementing the best practices and applauds those centers and day care homes that find ways to incorporate them into their meal service.

The best practices, as provided in the Final Rule preamble, are as follows:

<u>Infants</u>
<ul style="list-style-type: none">• Support mothers who choose to breastfeed their infants by encouraging mothers to supply breastmilk for their infants while in day care and offering a quiet, private area that is comfortable and sanitary for mothers who come to the center or day care home to breastfeed.
<u>Vegetables and fruit</u>
<ul style="list-style-type: none">• Make at least one of the two required components of snack a vegetable or a fruit.• Serve a variety of fruits and choose whole fruits (fresh, canned, frozen, or dried) more often than juice.• Provide at least one serving each of dark green vegetables, red and orange vegetables, beans and peas (legumes), starchy vegetables, and other vegetables once per week.
<u>Grains</u>
<ul style="list-style-type: none">• Provide at least two servings of whole grain-rich grains per day.
<u>Meat and Meat Alternates</u>
<ul style="list-style-type: none">• Serve only lean meats, nuts, and legumes.• Limit serving processed meats to no more than one serving per week.• Serve only natural cheeses and choose low-fat or reduced-fat cheeses.
<u>Milk</u>
<ul style="list-style-type: none">• Serve only unflavored milk to all participants. If flavored milk is served to children 6 years old and older, or adults, use the Nutrition Facts Label to select and serve flavored milk that contains no more than 22 grams of sugar per 8 fluid ounces, or the flavored milk with the lowest amount of sugar if flavored milk within this sugar limit is not available.• Serve water as a beverage when serving yogurt in place of milk for adults.
<u>Additional Best Practices</u>
<ul style="list-style-type: none">• Incorporate seasonal and locally produced foods into meals.• Limit serving purchased pre-fried foods to no more than one serving per week.• Avoid serving non-creditable foods that are sources of added sugars, such as sweet

toppings (e.g., honey, jam, syrup), mix-in ingredients sold with yogurt (e.g., honey, candy or cookie pieces), and sugar-sweetened beverages (e.g., fruit drinks or sodas).

- In adult day care centers, offer and make water available to adults upon their request throughout the day.

Infants

- Support mothers who choose to breastfeed their infants by encouraging mothers to supply breastmilk for their infants while in day care and offering a quiet, private area that is comfortable and sanitary for mothers who come to the center or day care home to breastfeed.

Breastfeeding provides numerous benefits to the mother and infant, and the American Academy of Pediatrics recommends breastmilk as the optimal source of nutrients through the first year of life. In an effort to support breastfeeding, the updated meal patterns allow centers and day care homes to be reimbursed for meals when a mother directly breastfeeds her infant on-site. The best practice listed above reinforces FNS' efforts to promote breastfeeding and encourages centers and day care homes to provide a supportive environment for breastfeeding mothers. Providing a quiet, private area that is comfortable and sanitary for breastfeeding mothers will help them continue breastfeeding after their infant enters day care.

Vegetables and Fruit

- Make at least one of the two required components of snack a vegetable or a fruit.
- Serve a variety of fruits and choose whole fruits (fresh, canned, frozen, or dried) more often than juice.
- Provide at least one serving each of dark green vegetables, red and orange vegetables, beans and peas (legumes), starchy vegetables, and other vegetables once per week.

The Dietary Guidelines indicates that most Americans do not consume enough vegetables and fruits. The Dietary Guidelines recommends an increased consumption of a wide variety of whole vegetables and fruit, as each type of vegetable or fruit provides a different array of nutrients. Centers and day care homes can help bring children's and adults' vegetable and fruit intake closer to the recommended amounts and increase the variety of vegetables and fruits they consume by following these best practices.

Grains

- Provide at least two servings of whole grain-rich grains per day.

The Dietary Guidelines recommends that all individuals consume half of all their grains in the form of whole grains. Whole grains offer a variety of vitamin and minerals,

including magnesium, selenium, iron, zinc, B vitamins, and dietary fiber. However, most Americans currently do not consume enough whole grains. This best practice recommends serving one more whole grain-rich food per day than is required in the updated CACFP meal patterns. Whole grain-rich foods are foods that contain 100 percent whole-grains, or that contain at least 50 percent whole-grains and the remaining grains in the food are enriched.

Meat and Meat Alternates

- Serve only lean meats, nuts, and legumes.
- Limit serving processed meats* to no more than one serving per week.
- Serve only natural cheeses and choose low-fat or reduced-fat cheeses.

Meat and meat alternates are good sources of protein and a host of vitamins and minerals, including B vitamins, Vitamin E, calcium, phosphorus, zinc, magnesium and iron. These nutrients are essential to healthy growth and development in young children and the continued health of adults. In order for participants to gain the most nutritional benefit from the meat and meat alternates they are served, FNS recommends centers and day care homes implement the best practices listed above.

*The Dietary Guidelines define processed meat as all meat or poultry products preserved by smoking, curing, salting, and/or the addition of chemical preservatives, including bologna, luncheon meats, pepperoni, bacon, and smoked turkey products, among others (<http://health.gov/dietaryguidelines/2015/guidelines/appendix-6/#m>).

Milk

- Serve only unflavored milk to all participants. If flavored milk is served to children 6 years old and older, or adults, use the Nutrition Facts Label to select and serve flavored milk that contains no more than 22 grams of sugar per 8 fluid ounces, or the flavored milk with the lowest amount of sugar if flavored milk within this sugar limit is not available.

Milk is a critical component of the CACFP meal pattern because it provides children with vital nutrients for growth and wellness, such as protein, calcium, vitamin D, and potassium. Flavored milk contains added sugars, and the Dietary Guidelines recommend that all Americans reduce their consumption of added sugars and found that added sugar consumption is particularly high in children.

While more research is needed to examine the impact of flavored milk on added sugar consumption, the current science supported changing the CACFP meal pattern to prohibit flavored milk for children 1 through 5 years old. As an additional best practice, FNS encourages centers and day care homes to serve only unflavored milk to all children and adults in their care. If a center or day care home decides to serve flavored milk to children 6 years and older and adults, centers and day care homes can use the Nutrition Facts Label to select flavored milk that has no more than 22 grams of sugar per 8 fluid ounces,

or the lowest amount of sugar available. FNS will adjust this best practice as nutrition science evolves and the market availability of lower-sugar flavored milks improves.

- Serve water as a beverage when serving yogurt in place of milk for adults.

This combination will help ensure that adults in care consume a calcium rich food and stay hydrated.

Additional Best Practices

- Incorporate seasonal and locally produced foods into meals.

A growing body of research demonstrates several positive impacts of serving local foods and providing food education through CACFP, including increased participation and engagement in meal programs; consumption of healthier options, such as whole foods; and support of local economies.

- Limit serving purchased pre-fried foods to no more than one serving per week.

The updated CACFP meal pattern requirements prohibit deep-fat frying as way of preparing food onsite, but continue to allow centers and day care homes to serve pre-fried purchased foods. As a best practice, FNS strongly recommends limiting the service of pre-fried foods that are purchased from a store, caterer, or vendor because they can contribute large amounts of saturated fat and calories to a meal.

- Avoid serving non-creditable foods that are sources of added sugars, such as sweet toppings (e.g., honey, jam, syrup), mix-in ingredients sold with yogurt (e.g., honey, candy or cookie pieces), and sugar-sweetened beverages (e.g., fruit drinks or sodas).

Centers and day care homes can help further reduce children's and adults' consumption of added sugars by limiting the service of non-creditable foods that are high in added sugars.

- In adult day care centers, offer and make water available to adults upon their request throughout the day.

As required in the Act, the updated CACFP meal pattern requires centers and day care homes to offer drinking water to children throughout the day. While this requirement does not apply to adult day care centers, FNS encourages adult day care centers to help keep adults healthy and hydrated throughout the day by making water available to them upon request as well.

If you have questions, please contact the staff person assigned to your region.

Resources

FNS has many resources to help centers and day care homes incorporate the CACFP best practices into their everyday meal service. Along with the resources listed below, FNS is in the process of developing additional, pertinent resources to aid centers and day care homes in offering nutritious meals.

Resources

Nutrition and Wellness Tips for Young Children – Child care providers can use these tips to incorporate key recommendations and best practices into their menus and daily schedules. (<http://www.fns.usda.gov/tn/nutrition-and-wellness-tips-young-children-provider-handbook-child-and-adult-care-food-program>)

Feeding Infants – This guide presents information on infant development, nutrition for infants, breastfeeding and formula feeding, solid foods, sanitary food preparation, and more. (<http://www.fns.usda.gov/tn/feeding-infants-guide-use-child-nutrition-programs>)

ICN Education and Training Resources – The Institute of Child Nutrition provides education and training opportunities to help provide nutritious meals in CACFP homes and day care settings. (<http://nfsmi.org/Templates/TemplateDivision.aspx?qs=cEIEPTc=>)

Healthy Meals Resource System – CACFP centers and day care homes will find more menu planning tools, recipe ideas, and additional tips and ideas to help implement the updated meal patterns and best practices, such as hosting taste tests to help introduce and get children excited about updated foods and menus. (<https://healthymeals.nal.usda.gov/>)

Local Food and Related Activities in Child and Adult Care Food Program – This resource page will help providers identify ways to incorporate seasonal and local foods into their programming. (<http://www.fns.usda.gov/farmtoschool/farm-preschool>)

Team Nutrition Resource Library – Visit the Team Nutrition Resource Library for free nutrition education materials to further reinforce and complement the nutrition messages taught by serving healthful foods. (<http://www.fns.usda.gov/tn/resource-library>)

MyPlate – Resources found on the MyPlate website can help CACFP centers and day care homes identify healthier options to ensure menu choices contain the most nutrients children need to grow. (<http://www.choosemyplate.gov/>)